


DAMS Bread Slicer/Splitter without Feeder / DEKS-20



DAMS Tekli Ekmek Kesme (Yarma)

TECHNICAL SPECIFICATIONS	
MAX. POWER	2 kW
VOLTAGE	220V
MAX. CURRENT	10A
MACHINE WIDTH	685 mm
MACHINE LENGTH	1040 mm
MACHINE HEIGHT	1230 mm
MACHINE WEIGHT	180 kg





GENERAL FEATURES

- It is used in splitting (cutting/ slicing) the sandwich and hamburger breads before packaging.
- Circular blade is used, this blade is easy to remove and install.
- 304 Cr-Ni is manufactured on the surfaces that the product touches.
- The bands used are suitable for food. Product feeding is done manually.
- There are three adjustment arms;

- First Setting Arm

It is top pressing setting. The top band is adjusted according to the thickness of the bread to be split and the bread is prevented from flying during cutting.

- Second Setting Arm

The blade is adjusted up and down. Thanks to this setting, the point of bread to be cut is determined.

- Third Setting Arm

Splitting (cutting/slicing) depth is adjusted.

- These settings are made manually.
- A metal sensor on the machine shuts down the upper band, stopping all running motors and protects against possible operator failures.

Best Regards,



DAMS
All around the world
Offers only perfection







DAMS Beslemesiz



DAMS Beslemesiz



GENEL TOLERANS $\pm 0,1$

1		TADILAT TARİHİ		TADILAT NEDENİ		DAMS	
TADILAT NO	TARİH	ADI-SOYADI	İMZA	MALZEME	Dev Ambalaj ve Gıda Makineleri San. ve Tic. Ltd. Şti.		
ÇİZEN	2.05.2016	ALİ ALKAN					
KONTROL-1		BERTAN GÜVENÇ					
KONTROL-2				192,479 kg			
ÖLÇEK	ölçü	EKMEK KESME (YARMA)			ADET	RESİM NO:	
					1	YRM01-0000-00.02	

777