
AUTOMATIC WEIGHING & PACKING MACHINE







AUTOMATIC WEIGHING & PACKING MACHINE

- The Filpack FPS-145 packing machine is designed for the packaging of fresh fruits and vegetables into the Knitted Tubular Nets or Extruded Nets. (Finished bag samples are shown below)
- Filpack FPS-145 packing machine uses 2 thermal sealed side films during the packing and FPS-145 is capable to use the following widths: 75 90 120 or 140 mm
- There are punched holes on the upper side of the bag, and this is done for easy handling/carrying.
- The thickness of the film that our packing machine uses is ranging from 55 microns up to 100 microns depending on the customer wish.
- The closing of the bag is done by thermo welding.
- You can easily customize the product with a printed logo of the packer and also with the product definition.
- Two tubes hold the net allowing the automatic change of the tube, without any stop. With this way you can automatically switch to the other tube and will not

lose time from production.

The machine carries electronic label printer for:

Application of adhesive label, with variable data for the bags.

Capable to weigh and pack: 0,5 to 10 kg

The output is 24-36 bags per minute depending on the produce and the volume/dimensions of the packaging.

Sample bags come out from our packing unit.





Filpack FPS-145 and FTS-160 both operates with a color LCD touchscreen that allows operators the easy monitoring and also the handling.









FKS-30 Loading Belt

FTS-160 Weighing Machine

FPS-145 Packing Machine





Filpack Paketleme ve Dolum Tesisleri Sanayi ve Ticaret A.Ş.

Gaziosmanpaşa OSB Mahallesi, Namık Kemal Bulvarı, No: 4/A Çerkezköy, Tekirdağ, Turkey

E: info@filpak.com.tr

Office : +90 212 452 0868 Factory : +90 282 726 1660 WhatsApp : +1 857 222 9124

www.Filpak.com.tr www.Filpackgroup.com



