

proair

Pneumatic brushing equipment for air ducts

The system uses compressed air to drive a motor housed in the end of a flexible hose.


The **wrist remote control** allows a single operator to perform the cleaning of the air duct .

It incorporates the **function of automating the rotation of the brush**. This feature shortens the time required for the cleaning..



Brushes

Different materials and sizes for all types of ductwork.
DUO Square system for effective cleaning in square ducts.



Centrator

 [Optional]

Fixes the brush in **the center of the duct**.

LED indicator

Shows the status of the machine.

HMI screen

Control all equipment functions.

Shaft guard

Facilitates its take-up and protects it when you are on the move.



PNEUMATIC

For ducts up to
1000 mm

Hose length

25 m



AIR COMPRESSOR
[Not included]

OPTIONALES ACCESORIES ▼



WRIST REMOTE CONTROL

AC3303605



VISIOPRO. Visualization system, camera harness, camera and carrying case.

SV3331032 SV-PRO



The **CENTERING** fixes the brush in the center of the duct.

AC3303133



ANTI BREAKAGE HOSE PROTECTOR

AC3303112

CONSUMABLES ▼



PACK 5 THICK NYLON RUSHES.

For cleaning ducts with heavy dirt.
Ø200 | 300 | 400 | 500 | 600 mm

CP2201015



PACK 5 FINE NYLON BRUSHES.

For maintenance and delicate duct cleaning.
Ø200 300 | 400 | 500 | 600 mm

CP2110505



TECHNICAL FEATURES

proair

Motor power supply [Maximum power]:	220 l/min – 6,3 bar 7,77 cfm – 6,3 bar
No-load rotational speed:	762 rpm
Rotation speed at full power:	379,2 rpm
Torque at max output:	2,5 Nm 22,13 lbf.in
Minimum starting torque:	3,1 Nm 27,44 lbf.in
Stall torque:	5 Nm 44,25 lbf.in
Nivel Noise level:.	< 70 dB
Direction of rotation:	Right / Left
Control system:	Electropneumatic
Dimensions:	1162 x 1162 x 430 mm 45,75 x 45,75 x 16,93 inch
Weight:	65 kg 143 lb
Hose length:	25 m 82 ft
Structural material:	Stainless steel and HDPE