



Compact and powerful baler
An optimum productive working environment

- ✓ The KK 40 baler machine is suitable for use in areas with low waste volume, narrow spaces and low ceilings.
- ✓ Simple control panel provides ease of use.
- ✓ Ideal for Retail Stores, Boutique Hotels, Offices, Workshops, Restaurants, Gas Stations and Ships.
- ✓ Allows you to save space and working time
- ✓ It allows you to generate income by compressing recyclable waste.
- ✓ It allows you to reduce waste into small, convenient and light bales that can be transported and stored without using special equipments.
- ✓ It provides a more effective and long-lasting outer coating with electrostatic powder paint.
- ✓ The transport trolley is delivered together with the machine.

Optional Extras

- Modify your baler with a custom RAL colour

- Overload prevention system (PLC CONTROL)
- Grounding system
- Stand-by working system (PLC CONTROL)
- Engine protection system
- All our machines are guaranteed for 1 year, except for the electrical parts.
- Machine installation and after-sales technical services are carried out by KOZKEL with our expert technicians.



Bale weight
40 Kg



Press force
< 5 ton



Waste types
Cardboard, Plastic Foil, Paper, Ldpe Film ...



Motor
1.1 Kw 10A







Noise level
72 DB





Bale Size



TECHNICAL SPECIFICATIONS

Machine Dimensions WxDxH	1050X730X1700 mm
Press Force	5 ton max.
Machine Weight	230 kg
Power Supply	1x 220 - 240 V 50 Hz 10 A 1.1 Kw
Motor	1.1 Kw
Feed Opening WxDxH	535x460x490
Cycle Time (sec)	20
Bale Size WxDxH	535x460x600
Bale Weight	40 kg (varies by material)
Number of Ties	2



Contact us for detailed information about the right waste treatment solutions.



Compact and powerful baler
An optimum productive working environment



- ✓ The KK 60 baler machine is suitable for use in areas with low waste volume, narrow spaces and low ceilings.
- ✓ Simple control panel provides ease of use.
- ✓ Ideal for Retail Stores, Boutique Hotels, Offices, Workshops, Restaurants, Gas Stations and Ships.
- ✓ Allows you to save space and working time
- ✓ It allows you to generate income by compressing recyclable waste.
- ✓ It allows you to reduce waste into small, convenient and light bales that can be transported and stored without using special equipments.
- ✓ It provides a more effective and long-lasting outer coating with electrostatic powder paint.
- ✓ The transport trolley is delivered together with the machine.

Optional Extras

- Modify your baler with a custom RAL colour

- Overload prevention system (PLC CONTROL)
- Grounding system
- Stand-by working system (PLC CONTROL)
- Engine protection system
- All our machines are guaranteed for 1 year, except for the electrical parts.
- Machine installation and after-sales technical services are carried out by KOZKEL with our expert technicians.



Bale weight
60 Kg



Press force
< 6 ton



Waste types
Cardboard, Plastic Foil, Paper, Ldpe Film ...







Motor
1.5 Kw 10A



Noise level
72 DB




Bale Size

TECHNICAL SPECIFICATIONS

Machine Dimensions WxDxH	1050X730X2000 mm
Press Force	6 ton max.
Machine Weight	250 kg
Power Supply	1x 220 - 240 V 50 Hz 10 A 1.5 Kw
Motor	1.5 Kw
Feed Opening WxDxH	700x500x490
Cycle Time (sec)	20
Bale Size WxDxH	700x500x700
Bale Weight	60 kg (varies by material)
Number of Ties	2



Contact us for detailed information about the right waste treatment solutions.



Compact and powerful baler
An optimum productive working environment



- ✓ The KK 75 baler machine is suitable for use in areas with low waste volume, narrow spaces and low ceilings.
- ✓ Simple control panel provides ease of use.
- ✓ Ideal for Retail Stores, Boutique Hotels, Offices, Workshops, Restaurants, Gas Stations and Ships.
- ✓ Allows you to save space and working time
- ✓ It allows you to generate income by compressing recyclable waste.
- ✓ It allows you to reduce waste into small, convenient and light bales that can be transported and stored without using special equipments.
- ✓ It provides a more effective and long-lasting outer coating with electrostatic powder paint.
- ✓ The transport trolley is delivered together with the machine.

Optional Extras

- Modify your baler with a custom RAL colour

- Overload prevention system (PLC CONTROL)
- Grounding system
- Stand-by working system (PLC CONTROL)
- Engine protection system
- All our machines are guaranteed for 1 year, except for the electrical parts.
- Machine installation and after-sales technical services are carried out by KOZKEL with our expert technicians.



Bale weight
75 Kg



Press force
< 8 ton



Waste types
Cardboard, Plastic Foil, Paper, Ldpe Film ...







Motor
1.5 Kw 10A



Noise level
72 DB




Bale Size

TECHNICAL SPECIFICATIONS

Machine Dimensions WxDxH	1070X730X2300 mm
Press Force	8 ton max.
Machine Weight	270 kg
Power Supply	1x 220 - 240 V 50 Hz 10 A 1.5 Kw
Motor	1.5 Kw
Feed Opening WxDxH	700x500x700
Cycle Time (sec)	25
Bale Size WxDxH	700x500x1000
Bale Weight	75 kg (varies by material)
Number of Ties	2



Contact us for detailed information about the right waste treatment solutions.



Compact and powerful baler
An optimum productive working environment

- ✓ **KK 100 bale press machine is suitable for use in places with medium waste volume.**
- ✓ **Simple control panel provides ease of use.**
- ✓ **Ideal for Industry and manufacturing factories, hotels, logistics warehouses, restaurants, hospitals, public institutions**
- ✓ **Allows you to save space and working time**
- ✓ **It allows you to generate income by compressing recyclable waste.**
- ✓ **Special gripping bars to prevent material from springing back**
- ✓ **Automatic Bale ejection (The bale is tipped out automatically)**
- ✓ **It provides a more effective and long-lasting outer coating with electrostatic powder paint.**

Optional Extras

- **Modify your baler with a custom RAL colour**
- **380-415 V Three Phase Energy**

- **Overload prevention system (PLC CONTROL)**
- **Grounding system**
- **Stand-by working system (PLC CONTROL)**
- **Engine protection system**
- **All our machines are guaranteed for 1 year, except for the electrical parts.**
- **Machine installation and after-sales technical services are carried out by KOZKEL with our expert technicians.**



Bale weight
100 Kg



Press force
< 15 ton



Waste types
Cardboard, Plastic Foil,
Paper, Ldpe Film ...







Motor
2.2 Kw 16A



Noise level
74 DB




Bale Size

TECHNICAL SPECIFICATIONS

Machine Dimensions WxDxH	1450X1010X2400 mm
Press Force	15 ton max.
Machine Weight	550 kg
Power Supply	1x 220 - 240 V 50 Hz 16 A 2.2 Kw
Motor	2.2 Kw
Feed Opening WxDxH	1000x800x550
Cycle Time (sec)	32
Bale Size WxDxH	980x800x800
Bale Weight	100 kg (varies by material)
Number of Ties	2



Contact us for detailed information about the right waste treatment solutions.



Compact and powerful baler
An optimum productive working environment

- ✓ **KK 150 baler press is a compact baler with high capacity and performance.**
- ✓ **Provides an ergonomic and safe working environment**
- ✓ **Simple control panel provides ease of use.**
- ✓ **Ideal for Industry and manufacturing factories, hotels, logistics warehouses, restaurants, hospitals, public institutions**
- ✓ **Allows you to save space and working time**
- ✓ **It allows you to generate income by compressing recyclable waste.**
- ✓ **Special gripping bars to prevent material from springing back**
- ✓ **Automatic Bale ejection (The bale is tipped out automatically)**
- ✓ **It provides a more effective and long-lasting outer coating with electrostatic powder paint.**



Optional Extras

- **Modify your baler with a custom RAL colour**
- **380-415 V Three Phase Energy**

- **Overload prevention system (PLC CONTROL)**
- **Grounding system**
- **Stand-by working system (PLC CONTROL)**
- **Engine protection system**
- **All our machines are guaranteed for 1 year, except for the electrical parts.**
- **Machine installation and after-sales technical services are carried out by KOZKEL with our expert technicians.**



Bale weight
150 Kg



Press force
< 20 ton



Waste types
Cardboard, Plastic Foil, Paper, Ldpe Film ...



Motor
3 Kw 20A






Noise level
74 DB





Bale Size



TECHNICAL SPECIFICATIONS

Machine Dimensions WxDxH	1485X1190X2600 mm
Press Force	20 ton max.
Machine Weight	800 kg
Power Supply	1x 220 - 240 V 50 Hz 20 A 3 Kw
Motor	3 Kw
Feed Opening WxDxH	1000x800x550
Cycle Time (sec)	32
Bale Size WxDxH	980x800x1000
Bale Weight	150 kg (varies by material)
Number of Ties	4




Contact us for detailed information about the right waste treatment solutions.



Strong and Stable baler

- ✓ **KK 250 baler press is a compact baler with high capacity and performance.**
- ✓ **Provides an ergonomic and safe working environment**
- ✓ **The bale size is optimized for transport and the finished bales fit on a standard EUR pallet.**
- ✓ **PLC control panel provides a comfortable use.**
- ✓ **Ideal for Industry and manufacturing factories, hotels, logistics warehouses, restaurants, hospitals, public institutions**
- ✓ **It allows you to generate income by compressing recyclable waste.**
- ✓ **It provides a more effective and long-lasting outer coating with electrostatic powder paint.**
- ✓ **More stable and strong pressing force with double guide shaft**
- ✓ **Special gripping barbs to prevent material from springing back**
- ✓ **Automatic Bale ejection (The bale is tipped out automatically)**



- **Overload prevention system (PLC CONTROL)**
- **Grounding system**
- **Stand-by working system (PLC CONTROL)**
- **Engine protection system**
- **All our machines are guaranteed for 1 year, except for the electrical parts.**
- **Machine installation and after-sales technical services are carried out by KOZKEL with our expert technicians.**

Optional Extras

- **Modify your baler with a custom RAL colour**
- **380-415 V Three Phase Energy**



Bale weight
250 Kg



Press force
< 30 ton



Waste types
Cardboard, Plastic Foil, Paper, Ldpe Film ...







Motor
4 Kw 25A



Noise level
74 DB




Bale Size

TECHNICAL SPECIFICATIONS

Machine Dimensions WxDxH	1760X1190X2890 mm
Press Force	30 ton max.
Machine Weight	1200 kg
Power Supply	3x380 - 415 V 50 Hz 25 A 4 Kw
Motor	4 Kw
Feed Opening WxDxH	1200x800x680
Cycle Time (sec)	32
Bale Size WxDxH	1200x800x1000
Bale Weight	250 kg (varies by material)
Number of Ties	4



Contact us for detailed information about the right waste treatment solutions.



A powerful bale press machine

- ✓ The KK 450 baling press machine can bale large waste products including plastic bottles, textiles, aluminum cans and heavy-duty materials.
- ✓ Provides an ergonomic and safe working environment
- ✓ The bale size is optimized for transport and the finished bales fit on a standard EUR pallet.
- ✓ PLC control panel provides a comfortable use.
- ✓ It is suitable for factories and industries with large wastes.
- ✓ It allows you to generate income by compressing recyclable waste.
- ✓ It provides a more effective and long-lasting outer coating with electrostatic powder paint.
- ✓ Special gripping barbs to prevent material from springing back
- ✓ More stable and strong pressing force with double guide shaft
- ✓ Automatic Bale ejection
(The bale is tipped out automatically)
- ✓ It provides high density bales due to its long piston length.



Optional Extras

- Modify your baler with a custom RAL colour
- 380-415 V Three Phase Energy



- Overload prevention system (PLC CONTROL)
- Grounding system
- Stand-by working system (PLC CONTROL)
- Engine protection system
- All our machines are guaranteed for 1 year, except for the electrical parts.
- Machine installation and after-sales technical services are carried out by KOZKEL with our expert technicians.



Bale weight
450 Kg



Press force
< 40 ton



Waste types
Cardboard, Plastic Foil,
Aluminum Cans, Paper ...







Motor
5.5 Kw 32A



Noise level
74 DB




Bale Size

TECHNICAL SPECIFICATIONS

Machine Dimensions WxDxH	1760X1190X2890 mm
Press Force	40 ton max.
Machine Weight	1500 kg
Power Supply	3x380 - 415 V 50 Hz 32 A 5,5 Kw
Motor	5.5 Kw
Feed Opening WxDxH	1200x800x680
Cycle Time (sec)	40
Bale Size WxDxH	1200x800x1000
Bale Weight	450 kg (varies by material)
Number of Ties	4




Contact us for detailed information about the right waste treatment solutions.



High capacity baler



- ✓ The KK 550 bale press machine can bale a variety of oversized waste products including plastic bottles, textiles, aluminum cans and heavy-duty materials.
- ✓ Provides an ergonomic and safe working environment
- ✓ Makes high volume bales for paper mills.
- ✓ PLC control panel provides a comfortable use.
- ✓ It is suitable for factories and industries with large wastes.
- ✓ It allows you to generate income by compressing recyclable waste.
- ✓ It provides a more effective and long-lasting outer coating with electrostatic powder paint.
- ✓ Special gripping barbs to prevent material from springing back
- ✓ More stable and strong pressing force with double guide shaft
- ✓ Automatic Bale ejection (The bale is tipped out automatically)
- ✓ It provides high density bales due to its long piston length.



Optional Extras

- Modify your baler with a custom RAL colour
- 380-415 V Three Phase Energy

- Overload prevention system (PLC CONTROL)
- Grounding system
- Stand-by working system (PLC CONTROL)
- Engine protection system
- All our machines are guaranteed for 1 year, except for the electrical parts.
- Machine installation and after-sales technical services are carried out by KOZKEL with our expert technicians.



Bale weight
550 Kg



Press force
< 50 ton



Waste types
Cardboard, Plastic Foil,
Aluminum Cans, Paper ...







Motor
7.5 Kw 32A



Noise level
74 DB




Bale Size

TECHNICAL SPECIFICATIONS

Machine Dimensions WxDxH	2110X1240X3570 mm
Press Force	50 ton max.
Machine Weight	2100 kg
Power Supply	3x380 - 415 V 50 Hz 32 A 7,5 Kw
Motor	7.5 Kw
Feed Opening WxDxH	1500x1100x880
Cycle Time (sec)	40
Bale Size WxDxH	1500x1100x1100
Bale Weight	550 kg (varies by material)
Number of Ties	4




Contact us for detailed information about the right waste treatment solutions.



Highest capacity vertical baler

- ✓ The KK 650 baling press machine can bale a variety of oversized waste products, including plastic bottles, textiles, aluminum cans, cardboard, paper and heavy-duty materials.
- ✓ PLC control panel provides a comfortable use.
- ✓ It is optimized for transport vehicles by enabling large bales to be made with its extra-large tank.
- ✓ Provides an ergonomic and safe working environment
- ✓ It provides a more effective and long-lasting outer coating with electrostatic powder paint.
- ✓ Special gripping barbs to prevent material from springing back
- ✓ More stable and strong pressing force with double guide shaft
- ✓ Automatic Bale ejection
(The bale is tipped out automatically)
- ✓ It provides high density bales due to its long piston length.
- ✓ It allows you to generate income by compressing recyclable waste.



- Overload prevention system (PLC CONTROL)
- Grounding system
- Stand-by working system (PLC CONTROL)
- Engine protection system
- All our machines are guaranteed for 1 year, except for the electrical parts.
- Machine installation and after-sales technical services are carried out by KOZKEL with our expert technicians.

Optional Extras

- Modify your baler with a custom RAL colour
- 380-415 V Three Phase Energy



kg
Bale weight
650 Kg

Press force
< 55 ton

Waste types
Cardboard, Plastic Foil,
Aluminum Cans, Paper ...




Motor
11 Kw 40A

Noise level
74 DB





Bale Size



TECHNICAL SPECIFICATIONS

Machine Dimensions WxDxH	2100X1525X3220 mm
Press Force	55 ton max.
Machine Weight	2500 kg
Power Supply	3x380 - 415 V 50 Hz 40 A 11 Kw
Motor	11 Kw
Feed Opening WxDxH	1500x1100x880
Cycle Time (sec)	40
Bale Size WxDxH	1500x1100x1100
Bale Weight	650 kg (varies by material)
Number of Ties	4



Contact us for detailed information about the right waste treatment solutions.



HIGH SECURITY BARREL PRESS



- ✓ **KK 200 Barrel press machine provides maximum security with its closed compression chamber.**
- ✓ **Compresses a 205 Lt barrel to a height of 15 cm**
- ✓ **It provides a more effective and long-lasting outer coating with electrostatic powder paint.**
- ✓ **Specially designed barrel crushing table**
- ✓ **High pressing force**
- ✓ **Reinforced special chassis**

- **All our machines are guaranteed for 1 year, except for the electrical parts.**
- **Machine installation and after-sales technical services are carried out by KOZKEL with our expert technicians.**



Press force
< 30 ton



Waste types
Barrel




Motor
11 Kw 40 A



Noise level
74 DB





TECHNICAL SPECIFICATIONS

Machine Dimensions WxDxH	1200X940X2580 mm
Press Force	30 ton
Machine Weight	750 kg
Power Supply	3x 380 - 415 V 50 Hz 40 A 11 Kw
Motor	11 Kw
Feed Opening WxDxH	1200x800x820 mm
Cycle Time (sec)	50



Contact us for detailed information about the right waste treatment solutions.