

# **MRP-760**



#### **FULL AUTOMATIC PACKAGING MACHINE**



SCREWED SYSTEMS



**VOLUMETRIC SYSTEMS** 



LINEAR WEIGHERED SYSTEMS



MULTIHEAD WEIGHERED SYSTEMS



## **MRP-760**



All automation products and switchgear materials we use are CE, EMC, LDV, ROHS etc. are industrial automation products with certificates. And also, our MRP-760 Machine has 2 YEARS MECHANICAL GUARANTEE.

















CONSTRUCTION **MATERIALS** 



**SPICES** 

**FLOUR** 



COFFEE





POWDERY FOOD SPORT SUPPLEMENTS GRANULAR FOODS



DRIED NUTS

LEGUMES

AGRICULTURAL **PRODUCTS** 


FATTENING FEED

CAT LITTER

DRIED FRUIT

DETERGENT







PILLOW PACKAGE



### MRP-760V PACKING SYSTEMS

AUTOMATIC VOLUMETRIC PACKAGING

100 g / 2000 g







## **MRP-760V**

#### **AUTOMATIC VOLUMETRIC PACKAGING**

100 g / 2000 g





#### **Technical Features of the System**

| Operatin Range              | 100gr-2000gr                 |
|-----------------------------|------------------------------|
| Capacity                    | 15-70 Package Pcs/Min        |
| Power Consumption           | 11KW                         |
| Voltage                     | 380VAC 50Hz                  |
| Weight of the Entire System | Optional                     |
| Machine Surface             | Electrostatic Paint Oven     |
| Package Types               | Gusseted Pack,- Pillow Pack, |
| Packaging Material          | OPP-CPP / ALM-MET / PU       |
| Max. Film Width             | 500 mm                       |
| Control Panel               | 10inch Touch Screen          |
| Filling System              | Volumetric                   |
| Packaging                   | Photocell-Unprinted-Paper    |

For example, in the filling of granular products; coffee beans, pulses, salt, sugar, grain spices, almost any granular product such as granulated beverages, fattening feed can be packaged. It provides efficient packaging in a hygienic environment. While photocell control is adjusted for printed films, millimetric package size can be adjusted with an encoder for unprinted films. The surfaces in contact with the product are stainless chrome (CrNi. material. They are vertical type machines that can fill in the range of 100gr - 2000 gr.)

- 1. PISTON DRIVE HORIZONTAL JAW MOVEMENT
- 2. VOLUME CONTROLLED FILLING
  3. PRODUCT CONTACT SURFACES ANSI 304 CrNI STAINLESS STEEL....
  4.CONTROL EASY OPERATION AND SETUP FROM 10" TOUCH SCREEN.
- 5. FEATURE TO WORK WITH OR WITHOUT PHOTOCELL,
- 6. STABLE AND PRECISE VERTICAL AND HORIZONTAL MANAGED BY
- P.I.D CONTROL SYSTEM BONDING
- 7.CLOSED SYSTEM ELECTRICAL AND MECHANICAL
- 8. EMERGENCY STOP SYSTEM
- 9. ERROR WARNING SYSTEM
- 10. AUTOMATIC FILM FIXER SHAFT
- 11. AUTOMATIC MACHINE ACCELERATION

#### packing / mixer machine systems

Fevzi Çakmak Mah. Ahmet Petekci Cad. Atiker á San Sitesi No: 10 ET Karatay / KONYA Tel: 0507 688 39 36 - 0 507 935 34 10 info@mr-pak.com



