FATİH GRUP

MAKİNA

WOODWORKİNG MACHİNERY(Ağaç işleme Makineleri)
EDGE BANDİNG MACHİNES(Kenar Bantlama Makineleri)
DOOR MANUFACTURING MACHINES(Kapı İmalat Makineleri)
ALUMINUM COMPOSITE PANELS PROCESSING MACHINES(Alüminyum Kompozit panel işleme makineleri) MILLING MACHINES(Freze Makineleri)
PRESS MACHINE(Pres Makinesi)
SPARE PARTS(Yedek Parça)
WOOD TOOLS(Ahşap Araçlar)
CNC WOODWORKING MACHINE(Cnc Ağaç işleme Makineleri)

ADRESS ; Keresteciler Sanayi sitesi 5.A Blok No;6-8 Başakşehir- İstanbul / TÜRKİYE

ADRESS ; Keresteciler Sanayi sitesi 5.A Blok No;6-8 Başakşehir- İstanbul / TÜRKİYE



OZKAR MACHINE - EDGE BANDING MACHINE

OZKAR KB-360

4 FUNCTIONS



- HEAD AND END CUTTING;
- TOP AND BOTTOM MILLING;
- RADIUS SCRAPING;
- POLISHING (BUFFING)
- EXTRA DUST SUCTION INSIDE

FATİH GRUP
MAKİNA

OZKAR MACHINE - EDGE BANDING MACHINE

5 FUNCTIONS

OZKAR KB-460



- PRE MILLING;
- HEAD AND END CUTTING;
- TOP AND BOTTOM MILLING;
- RADIUS SCRAPING;
- POLISHING (BUFFING)
- EXTRA DUST SUCTION INSIDE

FATİH GRUP
MAKİNA

OZKAR MACHİNE - EDGE BANDING MACHINE

- PRE MILLING;
- HEAD AND END CUTTING;
- TRIM
- GROOVING
- TOP AND BOTTOM MILLING;
- RADIUS SCRAPING;
- POLISHING (BUFFING)
- EXTRA DUST SUCTION INSIDE

OZKAR KB-760

7(FULL) FUNCTIONS



FATİH GRUP MAKİNA

OZ ANADOLU - EDGE BANDING MACHINE

- TOP AND BOTTOM MILLING;
- POLISHING (BUFFING)

KBM-1040



2 FUNCTIONS

FATİH GRUP
MAKİNA

OZ ANADOLU - EDGE BANDING MACHINE

- TOP AND BOTTOM MILLING;
- SCRAPING
- POLISHING (BUFFING)

KBM-1050



3 FUNCTIONS

FATİH GRUP MAKİNA

OZ ANADOLU - EDGE BANDING MACHINE

- HEAD AND END CUTTING
- TOP AND BOTTOM MILLING;
- POLISHING (BUFFING)

KBM-1055



3 FUNCTIONS

FATİH GRUP MAKİNA

OZ ANADOLU - EDGE BANDING MACHINE

- HEAD AND END CUTTING
- TOP AND BOTTOM MILLING;
- SCRAPING
- POLISHING (BUFFING)

KBM-1060



4 FUNCTIONS

FATİH GRUP MAKİNA

OZ ANADOLU - EDGE BANDING MACHINE

- PRE MILLING
- HEAD AND END CUTTING
- TOP AND BOTTOM MILLING
- SCRAPING
- POLISHING (BUFFING)

KBM-1080

5 FUNCTIONS



FATİH GRUP
MAKİNA

OZ ANADOLU - EDGE BANDING MACHINE

KBM- 1090

5 FUNCTIONS

- HEAD AND END CUTTING
- RADIUS TRIM
- TOP AND BOTTOM MILLING
- SCRAPING
- POLISHING (BUFFING)



FATİH GRUP
MAKİNA

OZ ANADOLU - CURVED EDGE BANDING MACHINE

CM-110



TECHNICIAL SPECIFICATIONS	
Working Method	Hot Cold
Crimping Thickness	1-2-3 mm
Clamping Height	15-68 mm
Small Reservoir Heater	600 watt
Glue Container Heater	1700 watt
Electric power	2 kW - 380 watt

FATİH GRUP
MAKİNA

AYZA MIZRAK - EDGE BANDING MACHINE

AYZABAND 4 ULTRA

- HEAD AND END CUTTING
- TOP AND BOTTOM MILLING
- DISC RADIUS SCRAPING
- POLISHING (BUFFING)



4 FUNCTIONS

FATİH GRUP MAKİNA

AYZA MIZRAK - EDGE BANDING MACHINE

AYZABAND 4FR ULTRA

- PRE MILLING
- HEAD AND END CUTTING
- TOP AND BOTTOM MILLING
- DISC RADIUS SCRAPING
- POLISHING (BUFFING)

5 FUNCTIONS



FATİH GRUP
MAKİNA

AYZA MIZRAK - EDGE BANDING MACHINE

PLC SCREEN (10 INCH)

- PRE MILLING
- HEAD AND END CUTTING
- TRIM
- TOP AND BOTTOM
- MILLING
- DISC RADIUS SCRAPING
- POLISHING (BUFFING)

AYZABAND 6

6 FUNCTIONS



FATİH GRUP
MAKİNA

AYZA MIZRAK - EDGE BANDING MACHINE

PLC SCREEN (10 INCH)

AYZABAND 7

- PRE MILLING
- HEAD AND END CUTTING
- TRIM
- TOP AND BOTTOM MILLING
- DISC RADIUS SCRAPING
- POLISHING (BUFFING)
- GROOVING WITH JUMPING SYSTEM

7 FUNCTIONS



FATİH GRUP
MAKİNA

AYZA MIZRAK - SLIDING TABLE SAW

CLASSIC 2200



CLASSIC 3200



CLASSIC SERIES

CLASSIC 3800



CLASSIC 2800



FATİH GRUP
MAKİNA

AYZA MIZRAK - SLIDING TABLE SAW

GOLD 3200



GOLD SERIES

GOLD 2800



GOLD 3800



FATİH GRUP
MAKİNA

AYZA MIZRAK - SLIDING TABLE SAW

GOLD PLUS 3200



TIPTRONIC
GOLD PLUS SERIES

GOLD PLUS 3800



FATİH GRUP
MAKİNA

ANADOLU AMS - EDGE BANDING MACHINE

- TOP AND BOTTOM
- MILLING
- RADIUS SCRAPING
- POLISHING (BUFFING)

ELEGANT 3R



3 FUNCTIONS

FATİH GRUP
MAKİNA

ANADOLU AMS - EDGE BANDING MACHINE

- HEAD AND END CUTTING
- TOP AND BOTTOM
- MILLING
- SCRAPING
- POLISHING (BUFFING)

ELEGANT 4



4 FUNCTIONS

FATİH GRUP
MAKİNA

ANADOLU AMS - EDGE BANDING MACHINE

- HEAD AND END CUTTING
- TOP AND BOTTOM MILLING
- SOLVENT (SPRAYING)
- RADIUS SCRAPING
- POLISHING (BUFFING)

ELEGANT 4S



5 FUNCTIONS

FATİH GRUP MAKİNA

ANADOLU AMS - EDGE BANDING MACHINE

- HEAD AND END CUTTING
- TOP AND BOTTOM
- MILLING
- SCRAPING
- POLISHING (BUFFING)
- GROOVING

ELEGANT 5



5 FUNCTIONS

FATİH GRUP
MAKİNA

ANADOLU AMS - EDGE BANDING MACHINE

- PRE MILLING
- HEAD AND END CUTTING
- TOP AND BOTTOM
- MILLING
- SOLVENT (SPRAYING)
- RADIUS SCRAPING
- POLISHING (BUFFING)

ELEGANT 6S



6 FUNCTIONS

FATİH GRUP
MAKİNA

ANADOLU AMS - EDGE BANDING MACHINE

- PRE MILLING
- HEAD AND END CUTTING
- TOP AND BOTTOM MILLING
- SOLVENT (SPRAYING)
- RADIUS SCRAPING
- GROOVING
- POLISHING (BUFFING)

ELEGANT 7S



7 FUNCTIONS

FATİH GRUP MAKİNA

ANADOLU AMS - CURVED EDGE BANDING MACHINE

- 380 V – 3 PHASE – 50 HZ
- PNEUMATİC CONNECTİON- 6 BARS
- WORKING PROCEDURE- HOT METHOD
- CRİMPİNG THICKNESS- 0.4 – 3 MM
- CLAMPING HEIGHT- 10 – 66 MM



E.K.50.R

CURVED EDGE BANDING

FATİH GRUP MAKİNA

NEV ÜNSAL- MINIFIX MACHINE



2X21

MINIFIX

TEKNİK ÖZELLİKLER
TECHNICAL SPECIFICATIONS

Tabla Uzunluk Ebadı/*Table Length Size*	120cmx40cm
Delme Kapasitesi/*Drilling Capacity*	32mmx64mm
Motor Gücü/*Motor Power*	2.2hp 3000/devir/dk
Ağırlık/*Weight*	500 kg

FATİH GRUP
MAKİNA

NEV ÜNSAL- MINIFIX MACHINE

3X21

TEKNİK ÖZELLİKLER
TECHNICAL SPECIFICATIONS

Tabla Uzunluk Ebadı/*Table Length Size*	145
Delme Kapasitesi/*Drilling Capacity*	32mmx64mm
Motor Gücü/*Motor Power*	2.2hp 3000/devir/dk
Ağırlık/*Weight*	600 kg



MINIFIX

FATİH GRUP
MAKİNA

NEV ÜNSAL- MINIFIX MACHINE

4X21

TEKNİK ÖZELLİKLER
TECHNICAL SPECIFICATIONS

Tabla Uzunluk Ebadı/*Table Length Size*	190 cm
Delme Kapasitesi/*Drilling Capacity*	32mmx64mm
Motor Gücü/*Motor Power*	2.2hp 3000/devir/dk
Ağırlık/*Weight*	900 kg



MINIFIX

FATİH GRUP
MAKİNA

NEV ÜNSAL- MINIFIX MACHINE

7X21

TEKNİK ÖZELLİKLER
TECHNICAL SPECIFICATIONS

Tabla Uzunluk Ebadı/*Table Length Size*	300cm
Delme Kapasitesi/*Drilling Capacity*	32mmx64mm
Motor Gücü/*Motor Power*	2.2hp 3000/devir/dk
Ağırlık/*Weight*	1600 kg



MINIFIX

FATİH GRUP MAKİNA

ULUDAG- MITER SAW MACHINE

STYLE-250'S



MITER SAW

FATİH GRUP
MAKİNA

OZTEMSAN - HINGE OPENING MACHINE

HINGE OPENING



750W -1 HP - 220 V

3000 RPM - 20 KG

FATİH GRUP
MAKİNA

HASDEM-PLANNING MACHINE

HMD-108

HMD 108 40'S DOUBLE MOTOR COMPLETE PLANNING MACHINE

PLANNING MACHINE



FATİH GRUP MAKİNA

OZYONMAK-MILLING MACHINE

- MILLING HEIGHT- 850 MM
- SHAFT DIAMETERS- 3 MM
- MOTOR POWER- 5.5 HP

UF 2300



MILLING MACHINE

FATİH GRUP
MAKİNA

NETMAK-MILLING MACHINE

- MILLING HEIGHT- 850 MM
- TABLE SİZE : 790X970 MM
- MOTOR POWER- 3,2 - 4 HP



FRS-900

SACCULAR MILLING MACHINE

FATİH GRUP MAKİNA

NETMAK- THICKNESS MACHINE

THICKNESS MACHINE

KA-400-500-600







FATİH GRUP
MAKİNA

NETMAK- THICKNESS MACHINE

SPECIFICATIONS

KA-400

Table Size	:420x790mm
Max. Processing Width	:400mm
Max. Machining Height	:250mm
Max. Chip Removal	:8mm
Number of Cutter Blades	:4
Cutter Blade Diameter	:110∅mm
Spindle Speed	:4500 rpm
Pulling Speed	:7-14 m/min
Cutter Motor Power	:5.5 HP / 4 kW
Tractor Engine Power	:0.70-0.95 HP
Table Engine*	:0.25 HP
General Dimensions	:800x1000x1050 mm
Net weight**	:620 kg

KA-500

Table Size	:520x890mm
Max. Processing Width	:500mm
Max. Machining Height	:250mm
Max. Chip Removal	:8mm
Number of Cutter Blades	:4
Spindle Speed	:4500 rpm
Pulling Speed	:7-14 m/min
Cutter Motor Power	:7.5 HP / 5.5 KW
Tractor Engine Power	:0.8-1.22 HP
Table Engine*	:0.25 HP
General Dimensions	:900x1100x1050 mm
Net weight**	:740 kg

KA-600

Table Size	:620x990mm
Max. Processing Width	:600mm
Max. Machining Height	:250mm
Max. Chip Removal	:8mm
Number of Cutter Blades	:4
Cutter Blade Diameter	:120mm
Spindle Speed	:4500 rpm
Pulling Speed	:7-14 m/min
Cutter Motor Power	:10 HP / 7.5 KW
Tractor Engine Power	:0.8-1.22 HP
Table Engine*	:0.37 HP
General Dimensions	:1000x1100x105 mm
Net weight**	:850 kg

FATİH GRUP MAKİNA

NETMAK- MILLING MACHINE

FR 2000 SERIES

FR 2000 SA



FR 2000



FR 2000 I.T



FR 2000 S



FATİH GRUP
MAKİNA

NETMAK- MILLING MACHINE

SPECIFICATIONS
FR 2000 SERIES

TEKNİK ÖZELLİKLER *TECHNICAL DATA*		FR 2000	FR 2000 S	FR 2000 SA	FR 2000 IT
Tabla Ebadı *Table Size*	mm	1000 x 750	1000 x 750	1000 x 750	2000 x 800
Tabla Tipi *Table Type*	T	Düz Tablalı *Fixed Table*	Arabalı *Cariage*	Takviye Arabalı *Added Cariage*	İlave Tablalı *Added Table*
Tabla Yüksekliği *Table Height*	mm	850	850	850	850
Mil Çapı *Diameter of Spindle*	ø mm	30	30	30	30
Pens *Clamps*	ø mm	14	14	14	14
Mil Kursu *Vertical Movement of Spindle*	mm	150	150	150	150
Mil Morsu *Taper of Spindle Morse*	MK	5	5	5	5
Motor Gücü *Motor Power*	Kw HP	5.5 7.5	5.5 7.5	5.5 7.5	5.5 7.5
Mil Devri *RPM of Spindle*	d / dak *rpm*	4000 - 6000 - 8000 - 10000			
Genel Ölçüler *Overall Dimensions*	mm	850x1000x1400	850x1000x1400	850x1050x1400	850x1950x1400
Net Ağırlık *Net Weight*	kg.	480	540	560	550

FATİH GRUP
MAKİNA

NETMAK- MILLING MACHINE

FR 2100 SERIES

FR 2100 SA



FR 2100



FR 2100 I.T



FR 2100 S



FATİH GRUP
MAKİNA

NETMAK- MILLING MACHINE

SPECIFICATIONS
FR 2100 SERIES

TEKNİK ÖZELLİKLER *TECHNICAL DATA*		FR 2100	FR 2100 S	FR 2100 SA	FR 2100 IT
Tabla Ebadı *Table Size*	mm	1200 x 800	1200 x 800	1200 x 800	2200 x 840
Tabla Tipi *Table Type*	T	**Düz Tablalı** *Fixed Table*	**Arabalı** *Carriage*	**Takviye Arabalı** *Added Carriage*	**İlave Tablalı** *Added Table*
Tabla Yüksekliği *Table Height*	mm	850	850	850	850
Mil Çapı *Diameter of Spindle*	ø mm	30 / 35	30 / 35	30 / 35	30 / 35
Pens *Clamps*	ø mm	14	14	14	14
Mil Kursu *Vertical Movement of Spindle*	mm	150	150	150	150
Mil Morsu *Taper of Spindle Morse*	MK	5	5	5	5
Motor Gücü *Motor Power*	Kw HP	7.5 10	7.5 10	7.5 10	7.5 10
Mil Devri *RPM of Spindle*	d / dak *rpm*	4000 - 6000 - 8000			
Genel Ölçüler *Overall Dimensions*	mm	900x1250x1300	900x1250x1400	970x1250x1450	950x2200x1300
Net Ağırlık *Net Weight*	kg.	600	660	680	670

FATİH GRUP
MAKİNA

HMZ BILSUN- DUST COLLECTOR

DUST COLLECTOR

2000 M3/ 4000 M3/ 6000 M3/ 8000 M3/ 10000 M3



FATİH GRUP
MAKİNA

HMZ BILSUN- DUST COLLECTOR



2000M3 1.5KW 2HP


DUST COLLECTOR

FATİH GRUP
MAKİNA

HMZ BILSUN- DUST COLLECTOR

DUST COLLECTOR

4000 M3 2.2 KW 3HP
DOUBLE BAG



FATİH GRUP
MAKİNA

HMZ BILSUN- DUST COLLECTOR



6000M3 5.5KW 7,5 HP
DOUBLE BAG

DUST COLLECTOR

FATİH GRUP
MAKİNA

HMZ BILSUN- DUST COLLECTOR



8000M3 7.5KW 10HP
DOUBLE BAG

DUST COLLECTOR

FATİH GRUP
MAKİNA

HMZ BILSUN- DUST COLLECTOR



10.000M3 11KW 15HP
TRIPLE BAG

DUST COLLECTOR

FATİH GRUP
MAKİNA

HMZ BILSUN- DUST COLLECTOR

DUST COLLECTOR

20.000M3 22 KW
DOUBLE MOTOR; LOWER
HOPPER 10 BAGS



FATİH GRUP
MAKİNA

SETKOM- AIR COMPRESSORS

DOUBLE STAGE
PISTON

AIR
COMPRESSORS



FATİH GRUP
MAKİNA

SETKOM- AIR COMPRESSORS

SPECIFICATIONS

AIR COMPRESSORS

ÇİFT KADEMELİ PİSTONLU KOMPRESÖRLER / TWO STAGE PISTON AIR COMPRESSORS

Code	Stationary	Lt/min	CFM	m³/h	Kw	Hp	Pump	Cylinder	RPM	Voltage	Faz	Bar	PSI	X x Y x Z mm	Kg
SET 40/200-4	200	514	18.20	30.84	3	4	4900	2	1425	400	3	12	159	1330x610x1060	112
SET 40/200-4MP	200	514	18.20	30.84	3	4M	4900	2	1425	230	1	12	159	1330x610x1060	112
SET 40/200-5.5P	200	520	18.41	31.2	4	5.5	4900	2	1425	400	3	12	159	1330x610x1060	112
SET 40/300-4	300	514	18.20	30.84	3	4	4900	2	1425	400	3	12	159	1680x500x1030	165
SET 40/300-5.5P	300	520	18.41	31.2	4	5.5	4900	2	1425	400	3	12	159	1680x500x1030	170
SET 40/300-4MP	300	514	18.20	30.84	3	4	4900	2	1425	230	1	12	159	1680x500x1030	165
SET 40/400-4	400	514	18.20	30.84	3	4	4900	2	1425	400	3	12	159	1650x650x1250	210
SET 40/400-4MP	400	514	18.20	30.84	3	4	4900	2	1425	230	1	12	159	1650x650x1250	210
SET 40/400-5.5P	400	520	18.41	31.2	4	5.5	4900	2	1425	400	3	12	159	1650x650x1250	215
SET 50/500-5.5P	500	653	23.12	39.18	4	5.5	5900	2	1160	400	3	12	159	1950x650x1250	230
SET 50/500-7.5P	500	700	24.78	42	5.5	7.5	5900	2	1160	400	3	12	159	1950x650x1250	230
SET 60/500-7.5P	500	827	29.28	49.62	5.5	7.5	6000	2	1325	400	3	12	159	1950x650x1250	235
SET 60/500-10P	500	860	30.44	51.6	7.5	10	6000	2	1325	400	3	12	159	1950x650x1250	235
SET 70/500-10P	500	1210	42.83	72.6	7.5	10	7000	2	1160	400	3	12	159	1950x650x1300	250
SET 70/500-15YP	500	1410	49.91	84.6	11	15	7000	2	1300	400	3	12	159	1950x650x1300	260
SET 2x50 / 750-2x5.5P	750	1306	46.23	78.36	2x4	2x5,5	2x5900	4	1160	400	3	12	159	2700x650x1300	420
SET 2x60 / 750-2x7.5P	750	1654	58.55	99.24	2x5,5	2x7,5	2x6000	4	1325	400	3	12	159	2700x650x1300	440

200 Litre depo hacimli kompresörlerimiz tekerleklidir.
Compressors which have 200 liter tank storage are wheeled.

FATİH GRUP
MAKİNA

website: fatihgrupmakina.com.tr

FATİH GRUP
MAKİNA

WOODWORKING MACHINE





















E-mail : info@fatihgrupmakina.com.tr

Arabic-Turkish- +90 533 234 12 80

English-Turkish- +90 533 639 12 80