




ÜRÜN KATALOĞU

PRODUCT CATALOGUE







Esisan Makine San. Tic. Ltd. Şti. 2010 yılında kurulmuştur. Başlangıçta ağırlıklı olarak tesisat ve taahhüt projelerine yönelerek başarılı işler gerçekleştirmiştir. Havalandırma tesisatları, klima santralleri, chiller grupları, soğutma kuleleri, paslanmaz konveyör bantlar ve karıştırıcı tanklar gibi mekanik tesisatta endüstriyel mühendislik çözümlerini sunmaya devam etmektedir.

Gösterdiği özveri ve çalışkanlıkla kısa sürede sektör içinde edindiği konumunu, 2011 yılında Atlas Copco ile yaptığı işbirliği ile perçinlemiştir. El tipi kırıcılar ile başlattığı Atlas Copco distribütörlüğü ürün gamını, 2013 yılında mermer makinelerini, İntegral ekipmanlarını ve 2016 yılından itibaren Esisan web sitesindeki tüm makine ve ekipmanları içerecek şekilde genişletmiştir.

Esisan Makine, inşaat sektöründeki konumunu 2018 yılında hafif inşaat makineleri grubunda Palme Makine ile işbirliği yaparak genişletmiş ve sağlamlaştırmıştır. Esisan Makine, inşaat sektöründe edindiği bilgi ve tecrübe ile 2021 yılında hafif inşaat makineleri grubunda üretime başlamıştır. Üretimini yapmakta olduğu; kompaktör, perdah ve derz kesme makinelerinde uzun vadeli çözüm ve yüksek kalite anlayışını benimsemiştir. Gerçekleştirdiği Ar-Ge yatırımları ile ürün yelpazesini gün geçtikçe arttırmaktadır. Bununla birlikte müşterilerin istek ve ihtiyaçları doğrultusunda özel çözümler gerçekleştirebilmektedir.

Esisan Makine 2023 yılı itibarı ile 1000 m² kapalı alan, toplam 25 kişiden oluşan mühendis ve teknik kadrosuyla makine ve çözüm üretmeye devam etmektedir. Üretilen makineler CE sertifikalı ve ISO 9001:2015 belgelidir.

ESİSAN



Esisan Makine Ind. Trade. Co. Ltd. was established in 2010. In the beginning, the company mainly focused on installation and contracting projects. Successful works are continuing to expand including industrial engineering solutions in mechanical installations such as ventilation installations, air conditioning plants, chiller groups, cooling towers, stainless conveyor belts, and mixer tanks. Owing to dedication and hard work, the position of the company in the sector was strengthened in a short time with the cooperation with Atlas Copco in 2011. The Atlas Copco distributorship product varieties were from hand-held breakers to marble machines and integral equipment in 2013. All machines and equipment can be found on the Esisan website since 2016.

The position of Esisan Makine in the construction sector was expanded and strengthened by cooperating with Palme Makine in the light construction machinery group in 2018. Esisan Makine started production in the light construction machinery group in 2021 with the knowledge and experience gained in the construction sector. The understanding of the long-term solution and high quality have been adopted by Esisan Makine in the compactor, power trowel, and grooving machines the company manufactures. Owing to R&D investments, the company increases its product range day by day. In addition to these, special solutions can be created according to the demands and needs of the customers.

Esisan Makine continues to produce machinery and solutions in a 1000 m² closed area with a total of 25 engineers and technician staff. The produced machines are CE and ISO 9001:2015 certified.



PERDAH MAKİNELERİ

POWER TROWEL MACHINES

ESİSAN 

EPD900B

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	1000x2000x1300
AĞIRLIK (kg)	340
MALA ÇAPI (mm)	910*2
MOTOR	Benzinli - 25,5 HP
SU DEPOSU (l)	35
YAKIT DEPOSU (l)	35
YAKIT SARFIYATI (l/saat)	6,9

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	1000x2000x1300
WEIGHT (kg)	340
BLADE DIAMETER (mm)	910*2
ENGINE	Gasoline - 25,5 HP
WATER TANK (L)	35
FUEL TANK (L)	35
FUEL CONSUMPTION (L/hour)	6,9



EPK600B

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	600x1200x900
AĞIRLIK (kg)	65
MALA ÇAPI (mm)	590
MOTOR	Benzinli - 5,5HP
YAKIT DEPOSU (l)	3,6
YAKIT SARFIYATI (l/saat)	1,5

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	600x1200x900
WEIGHT (kg)	65
BLADE DIAMETER (mm)	590
ENGINE	Gasoline - 5.5 HP
FUEL TANK (L)	3.6
FUEL CONSUMPTION (L/hour)	1.5



EP700B ◀◀

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	750x1700x1035
AĞIRLIK (kg)	74
MALA ÇAPI (mm)	685
MOTOR	Benzinli - 5,5 HP
YAKIT DEPOSU (l)	3,6
YAKIT SARFIYATI (l/saat)	1,7

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	750x1700x1035
WEIGHT (kg)	74
BLADE DIAMETER (mm)	685
ENGINE	Gasoline - 5.5 HP
FUEL TANK (L)	3.6
FUEL CONSUMPTION (L/hour)	1.7

EP700E ◀◀

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	750x1700x1035
AĞIRLIK (kg)	79
MALA ÇAPI (mm)	685
MOTOR	Elektrikli - 380V 2,4 - 3,0 kW

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	750x1700x1035
WEIGHT (kg)	79
BLADE DIAMETER (mm)	685
ENGINE	Electrical - 380V 2.4-3.0 kW



EP900B

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	1000x2050x1040
AĞIRLIK (kg)	79
MALA ÇAPI (mm)	915
MOTOR	Benzinli - 6,5HP
YAKIT DEPOSU (l)	3,6
YAKIT SARFİYATI (l/saat)	1,7

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	1000x2050x1040
WEIGHT (kg)	79
BLADE DIAMETER (mm)	915
ENGINE	Gasoline - 6.5 HP
FUEL TANK (L)	3.6
FUEL CONSUMPTION (L/hour)	1.7

EP900E

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	1000x2050x1040
AĞIRLIK (kg)	83
MALA ÇAPI (mm)	915
MOTOR	Elektrikli - 380V 2,4- 3,0 kW

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	1000x2050x1040
WEIGHT (kg)	83
BLADE DIAMETER (mm)	915
ENGINE	Electrical - 380V 2.4-3.0 kW



EP1000B ◀◀

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	1000x2050x1040
AĞIRLIK (kg)	104
MALA ÇAPI (mm)	915
MOTOR	Benzinli - 9 HP
YAKIT DEPOSU (l)	6
YAKIT SARFIYATI (l/saat)	2,4

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	1000x2050x1040
WEIGHT (kg)	104
BLADE DIAMETER (mm)	915
ENGINE	Gasoline - 9 HP
FUEL TANK (L)	6
FUEL CONSUMPTION (L/hour)	2.4



EP1200B ◀◀◀

TECHNICAL SPECIFICATIONS

EBATLAR (ExBxY) (mm)	1150x2250x1080	DIMENSIONS (WxLxH) (mm)	1150x2250x1080
AĞIRLIK (kg)	107	WEIGHT (kg)	107
MALA ÇAPI (mm)	1070	BLADE DIAMETER (mm)	1070
MOTOR	Benzinli - 9 HP	ENGINE	Gasoline - 9 HP
YAKIT DEPOSU (l)	6	FUEL TANK (L)	6
YAKIT SARFIYATI (l/saat)	2,4	FUEL CONSUMPTION (L/hour)	2.4

EP1200E ◀◀◀

TECHNICAL SPECIFICATIONS

EBATLAR (ExBxY) (mm)	1150x2250x1080	DIMENSIONS (WxLxH) (mm)	1150x2250x1080
AĞIRLIK (kg)	83	WEIGHT (kg)	83
MALA ÇAPI (mm)	915	BLADE DIAMETER (mm)	915
MOTOR	Elektrikli - 380V 3,7- 4,5 kW	ENGINE	Electrical - 380V 3.7- 4.5 kW





BETON TESVİYE MAKİNELERİ

Concrete Leveling Machines

ESİSAN

EVM2-3-4

TECHNICAL SPECIFICATIONS

EBATLAR (ExBxY) (mm)	800x650x800	DIMENSIONS (WxLxH) (mm)	800x650x800
AĞIRLIK (kg)	18 - 21 - 24	WEIGHT (kg)	18 - 21 - 24
MASTAR ÖLÇÜLERİ (m)	2 - 3 - 4	BLADE LENGTH (m)	2 - 3 - 4
MOTOR	Benzinli - 1,6 HP	ENGINE	Gasoline - 1.6 HP
YAKIT DEPOSU (l)	0,71	FUEL TANK (L)	0.71
YAKIT SARFİYATI (l/saat)	0,44	FUEL CONSUMPTION (L/hour)	0.44





ZEMİN SIKIŞTIRMA MAKİNELERİ

COMPACTION GROUP

ESİSAN

EC15x36B ◀◀◀

TEKNİK ÖZELLİKLER

TECHNICAL SPECIFICATIONS

EBATLAR (ExBxY) (mm)	360x900x600	DIMENSIONS (WxLxH) (mm)	360x900x600
AĞIRLIK (kg)	64	WEIGHT (kg)	64
TABLA ÖLÇÜLERİ (cm)	36x60	PLATE DIMENSIONS (cm)	36x60
TABLA KALINLIĞI (mm)	8	PLATE THICKNESS (mm)	8
TABLA TİPİ	HARDOX SAC	PLATE TYPE	HARDOX SHEET METAL
SU DEPOSU (l)	-	WATER TANK (L)	-
YÜRÜME HIZI (m/dk)	25	SPEED (m/min)	25
SANTRİFÜJ KUVVETİ (kN)	15	CENTRIFUGAL FORCE (kN)	15
MOTOR	Benzinli- 5,5 HP	ENGINE	Gasoline - 5.5 HP
YAKIT DEPOSU (l)	3,6	FUEL TANK (L)	3.6
YAKIT SARFIYATI (l/saat)	1,5	FUEL CONSUMPTION (L/hour)	1.5



EC26x50B ◀◀◀

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	500x800x600
AĞIRLIK (kg)	95
TABLA ÖLÇÜLERİ (cm)	50x60
TABLA KALINLIĞI (mm)	10
TABLA TİPİ	HARDOX SAC
SU DEPOSU (l)	-
YÜRÜME HIZI (m/dk)	25
SANTRİFÜJ KUVVETİ (kN)	26
MOTOR	Benzinli- 6,5 HP
YAKIT DEPOSU (l)	3,6
YAKIT SARFIYATI (l/saat)	1,7

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	500x800x600
WEIGHT (kg)	95
PLATE DIMENSIONS (cm)	50x60
PLATE THICKNESS (mm)	10
PLATE TYPE	HARDOX SHEET METAL
WATER TANK (L)	-
SPEED (m/min)	25
CENTRIFUGAL FORCE (kN)	26
ENGINE	Gasoline - 6.5 HP
FUEL TANK (L)	3.6
FUEL CONSUMPTION (L/hour)	1.7



EC28x50B ◀◀◀

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	500x800x600
AĞIRLIK (kg)	102
TABLA ÖLÇÜLERİ (cm)	50x60
TABLA KALINLIĞI (mm)	18
TABLA TİPİ	SFERO DÖKÜM
SU DEPOSU (l)	12
YÜRÜME HIZI (m/dk)	25
SANTRİFÜJ KUVVETİ (kN)	28
MOTOR	Benzinli - 6,5 HP
YAKIT DEPOSU (l)	3,6
YAKIT SARFIYATI (l/saat)	1,7

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	500x800x600
WEIGHT (kg)	102
PLATE DIMENSIONS (cm)	50x60
PLATE THICKNESS (mm)	18
PLATE TYPE	NODULAR CAST IRON
WATER TANK (L)	12
SPEED (m/min)	25
CENTRIFUGAL FORCE (kN)	28
ENGINE	Gasoline - 6.5 HP
FUEL TANK (L)	3.6
FUEL CONSUMPTION (L/hour)	1.7



EC38x60B ◀◀◀

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	600X850X750
AĞIRLIK (kg)	151
TABLA ÖLÇÜLERİ (cm)	60x74
TABLA KALINLIĞI (mm)	18
TABLA TİPİ	SFERO DÖKÜM
SU DEPOSU (l)	-
YÜRÜME HIZI (m/dk)	25
SANTRİFÜJ KUVVETİ (kN)	38
MOTOR	Benzinli - 9 HP
YAKIT DEPOSU (l)	6
YAKIT SARFIYATI (l/saat)	2,4

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	600X850X750
WEIGHT (kg)	151
PLATE DIMENSIONS (cm)	60x74
PLATE THICKNESS (mm)	18
PLATE TYPE	NODULAR CAST IRON
WATER TANK (L)	-
SPEED (m/min)	25
CENTRIFUGAL FORCE (kN)	38
ENGINE	Gasoline - 9 HP
FUEL TANK (L)	6
FUEL CONSUMPTION (L/hour)	2.4



EC38x60D ◀◀◀

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	600X850X750
AĞIRLIK (kg)	160
TABLA ÖLÇÜLERİ (cm)	60x74
TABLA KALINLIĞI (mm)	18
TABLA TİPİ	SFERO DÖKÜM
SU DEPOSU (l)	-
YÜRÜME HIZI (m/dk)	25
SANTRİFÜJ KUVVETİ (kN)	38
MOTOR	Dizel - 7 HP
YAKIT DEPOSU (l)	4,3
YAKIT SARFIYATI (l/saat)	1,7

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	600X850X750
WEIGHT (kg)	160
PLATE DIMENSIONS (cm)	60x74
PLATE THICKNESS (mm)	18
PLATE TYPE	NODULAR CAST IRON
WATER TANK (L)	-
SPEED (m/min)	25
CENTRIFUGAL FORCE (kN)	38
ENGINE	Diesel - 7 HP
FUEL TANK (L)	4.3
FUEL CONSUMPTION (L/hour)	1.7





DERZ KESME MAKİNELERİ

GROOVING MACHINES



EG13B ◀◀

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	620x920x1030
AĞIRLIK (kg)	104
BIÇAK ÇAPI (mm)	300-450
KESME DERİNLİĞİ (mm)	150
İLERLEME	Manuel
BIÇAK DALMA SİSTEMİ	Mekanik
SU DEPOSU (l)	40
MOTOR	Benzinli - 13HP
YAKIT DEPOSU (l)	6,5
YAKIT SARFIYATI (l/saat)	3,5

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	620x920x1030
WEIGHT (kg)	104
BLADE DIAMETER (mm)	300-450
CUTTING DEPTH (mm)	150
FORWARD MOVEMENT	Manual
BLADE IMMERSION SYSTEM	Mechanical
WATER TANK (L)	40
ENGINE	Gasoline - 13 HP
FUEL TANK (L)	6.5
FUEL CONSUMPTION (L/hour)	3.5



EG10S ◀◀

TEKNİK ÖZELLİKLER



EBATLAR (ExBxY) (mm)	600x1000x950
AĞIRLIK (kg)	120
BIÇAK ÇAPI (mm)	300-450
KESME DERİNLİĞİ (mm)	150
İLERLEME	Manuel
BIÇAK DALMA SİSTEMİ	Mekanik
SU DEPOSU (l)	40
MOTOR	Benzinli - 13HP
YAKIT DEPOSU (l)	6,5
YAKIT SARFIYATI (l/saat)	3,5

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	600x1000x950
WEIGHT (kg)	120
BLADE DIAMETER (mm)	300-450
CUTTING DEPTH (mm)	150
FORWARD MOVEMENT	Manual
BLADE IMMERSION SYSTEM	Mechanical
WATER TANK (L)	40
ENGINE	Gasoline - 13 HP
FUEL TANK (L)	6.5
FUEL CONSUMPTION (L/hour)	3.5



[illegible][illegible][illegible][illegible]







Esisan Makine Soğutma Mühendislik Ltd. Şti.
+90 (232) 433 99 69 - info@esisan.com.tr