





- Safety first: functionality and design excellence to operate safely
- Next generation electronics: advanced technology for maximum durability and reliability
  - Reduced power consumption: more efficiency, less costs, more green!

Elixa 24, automatic stretch packager with Elixa® technology of the last generation, particularly suitable for in-store applications and small to medium-sized packaging centres, differs from previous series by achieving higher targets in terms of safety, technology and economy. The additional photocells added at the feed entrance, the next-generation microswitches designed to prevent tampering, the innovative design of the discharge which prevents any access to the moving parts, the gas springs for the opening of the exit device ensures users to operate in **complete safety**.


The **next generation electronics** featured in *Elixa 24* ensures maximum durability and reliability of the machine even in problematic environments.

Thanks to the sealing belt on the outlet tray equipped with smart stand-by mode and to the new outfeed, Elixa 24can reduce energy consumption and heat dissipation saving up to 50% compared to previous series (Elixa ZX).

1247 185	

**Main characteristics** 

		BR1590(P		7
\$6.89			FILE CONTROL OF 185	1006



Safety first	Every part of <i>Elixa 24</i> has been designed in compliance with the strictest <b>safety regulations</b> . The elegant <b>rounded lines</b> also reduce the consequences of accidental impact.		
Speed	Elixa 24 reaches a speed of <b>24 ppm</b> .		
Automatic reading	Elixa 24 requires no operator intervention in the event of a <b>format change</b> : this makes it particularly suitable for <b>in-store applications</b> and <b>mid to large-sized packaging centres.</b>		
Super-stretch technology	Thanks to the Elixa® technology, <i>Elixa 24</i> uses <b>one width films (280 mm)</b> regardless of the size of the product, allowing a <b>saving of film up to 20%</b> compared to traditional packaging machines.		
Compactness	With a <b>right-side outlet</b> configuration, and a footprint of about <b>1 m2</b> , <i>Elixa 24</i> manages to fit into any work environment, optimizing the available space.		
Maximum integration	Elixa 24 can be integrated optimally with the major automatic weigh-price labelling systems available on the market, keeping volume and footprint virtually unchanged.		
Versatility	With a wide choice of <b>options</b> , <i>Elixa 24</i> can be easily customized according to customer <b>requirements</b> .		
Simplicity	Characterized by an extremely intuitive and easy to remember operation, <i>Elixa 24</i> simplifies the turnover of employees. It only takes <b>30"</b> to change the reel: an error-proof, simple operation!		
Proper professional packaging	The synergy between the new Elixa® series machines and food-grade films produced by <i>Gruppo Fabbri</i> allows the realities operating in food packaging achieving maximum results with minimum investment. <i>Elixa 24</i> can use <b>neutral super-stretch film</b> or <b>continuously printed film</b> which seals on the lower part of the tray thanks to the efficiency of the sealing belt.		
Plug 'n' Pack mode	Elixa 24 is powered by 230 V without any need for compressed air.		
Energy saving	With a new advanced software, <i>Elixa 24</i> is able to manage its own ignition timing in on/off mode, thus optimising consumption and offering energy savings of up to <b>50%</b> compared to the previous model ( <i>Elixa ZX</i> ).		

Maximum speed: up to 24 packages a minute.

Optional features from

the list.

Minimum tray format: 120 x 100 x 10\* (L x W x H).

Reel change time 30".

Maximum tray format: 350 x 230 x 130\* (L x W x H).

Machine weight: 150 kg.

Reel width: 280 mm (one width).

Supply voltage: 230 V mono-phase

\*It is not possible to achieve the three maximum dimensions of the tray at the same time

Gruppo Fabbri guarantees quick, efficient and widespread technical assistance, thanks to a team of qualified and multi-lingual professionals, always at the disposal of customers.

DISCLAIMER: The content and information provided in this brochure are intended for general marketing purposes, therefore no subject (person or company) must consider them exact or complete. Gruppo Fabbri Vignola S.p.A., its company organisations, managers, officials, employees, agents and consultants will not be held liable (including liability resulting from error or negligence, without any limitation) for any direct or indirect loss, damage, cost or obligation which could have been suffered resulting from the use or reliance on that contained or omitted in this brochure. Gruppo Fabbri Vignola S.p.A. reserves the right to modify the specifics of its products without any prior notice. For further technical or economical information, please contact the Gruppo Fabbri Vignola S.p.A. Sales Department.













