




DYNAMIC QUALITY PROCESS

# FLEXIBLE TAILOR-MADE SOLUTIONS



 **Galaxi**  
WEIGH AND LABEL





**TOUCHSCREEN DISPLAY** that can be used with **gloves**

**ELECTRO ASSISTED DEVICE**

**V-SHAPED BELTS VERSION**  
for spherical and cylindrical products



**STURDY STRUCTURE IN STAINLESS STEEL**, ergonomic, modular, easy to sanitise



**LOW MAINTENANCE COSTS**



**MODULARITY FLEXIBILITY**



**EASY INTEGRATION** with productive and packaging systems



**NETWORK PROTOCOL, OPEN and perfectly COMPATIBLE** with the other BILANCIAl ranges (Venus, Mercury Plus, Selecta)



**IMMEDIATE DISPLAY OF THE OPERATING STATUS** by means of a light signalling system



**EASY OPERATION** with the possibility of using an **EXTERNAL KEYBOARD** (PS2 type)



**CONNECTIVITY: data sharing with SQL database** for order management and progress control of the same in real time

# WEIGH-PRICING, LABELLING AND CONTROL SYSTEM

The new Galaxi Series weigh-pricing, labelling and control systems range, completely designed and built by Bilanciai Group, represents a flexible and reliable solution to the weighing of products with **variable weight and/or predetermined weight**.

# LAW ABIDING FLEXIBILITY

For products with variable weights, Galaxi represents the correct solution to the need for increasingly complete labels in accordance with Regulation (EU) no. 1169/2011 of the European Parliament and Council of 25 October 2011. Key players in the consumer market have the need to manage important elements such as bar codes, ingredients, nutritional values, traceability etc., in addition to the traditional weight price.



Regulation (UE) n. 1169/2011 of the European Parliament and of the Council of 25/10/2011

- ✓ Possibility of automatic totalisations with issuing labels on dedicated printers
- ✓ Layout of labels that can be produced by the user independently
- ✓ Label application on top, below, on the head or on the side of the product and seal label

**SKŁADNIKI:**  
Bzroszkwinie, woda, cukier, Regulator kwasowości: kwas cytrynowy

**INGREDIENTY:**  
Perlit, woda, cukier, Regulator kwasowości: cytrynowa кислота

**MALZEMELER:**  
Şifalı su, peker, Asitlik düzenleyici: Sitrik Asit

**ΣΥΣΤΑΤΙΚΑ:**  
Ροδόχνα, νερό, ζάχαρη, Ρυθμιστής οξύτητας: κίτρικό οξύ.

Special language and characters

Confezionato da / Packaged by / Verpackt von / Emballé par

Soc. Coop. BIANCHI CAMPGALLIANO Via S. Bartol. 19 41013 Campogalliano MO Tel. +39 059 80444 - Fax +39 059 80444 Web: www.bianchicamp.it

**PESCHE allo SCIROPPO / PEACHES HALVES in LIGHT SYRUP**  
**PFIRSICHE leicht GEZUCKERT / PÉCHES au SIROP LEGER**

**INGREDIENTI:** Pesche, acqua ossigenata, Correttore di acidità acido citrico  
**INGREDIENTS:** Peaches, water, sugar, Acidity regulator Citric acid  
**ZUTATEN:** Pfirsiche, Wasser, Zucker, Süßholzwurzel, Zitronensäure  
**INGRÉDIENTS:** Pêches, eau sucrée, Correcteur d'acidité, acide citrique.

Prodotto confezionato in atmosfera protettiva / Product packaged in a protective atmosphere / Produkt in einer Schutzatmosphäre verpackt / Product conditioné sous atmosphère protectrice

INFORMAZIONI NUTRIZIONALI		NUTRITION FACTS / NUTRIERINGSWERTE		INFORMATIONS NUTRITIONNELLES	
	g	Kcal	KJ		% Daily Value
Valore energetico / Calorie (kcal/kJ)	57 / 141				
Proteine / Proteins / Eiweiß / protéines	0,52	0	0		
Grassi / Fat / Fett / Lipides	0,10				
Carboidrati / Carbohydrates / Kohlenhydrate / Glucides	10,43	0	0		
Sale / sodium / Salz / sel	0,004	0	0		

DA CONSUMARSI ENTRO IL  
BEST BEFORE  
MINDESTENS HALTBAR BIS  
A CONSOMMER DANS LA  
31/12/2019

LOTTO / LOT  
LOS / LOT  
0048

TARA / TARE  
TARA / TARA  
4 g

PESO SGOCCIOLATO / DRAINED WEIGHT  
ABTROPFGEWICHT / POIDS NET ÉGOUTTÉ  
220g

PESO NETTO / NET WEIGHT  
NETTOGEWICHT / POIDS NET  
300g e

Barcode: 8 064217 002501



GS1\_DATAMATRIX

**PREDETERM. WEIGHT**

EAN13

**GS1\_128**

EAN13

**GS1\_128**








CAPACITY kg	DIVISION g	MINIMUM WEIGHING IN CLASS X and Y, g
3	1	20
6	1	20
12	2	40
15	5	100
12 / 15 multi-division	2 / 5	40

PRODUCTION RATES	up to <b>70</b> pcs/min
<b>70</b> m/min for all capacity values	BELT SPEED

GALAXI SATISFIE THE REQUEST TO HAVE **EASILY PROGRAMMABLE FLEXIBLE TOOLS** THAT CAN **EASILY AND RELIABLY CONNECT** TO CORPORATE HOSTS AND INTEGRATE INTO PRODUCTION PROCESSES

✓

**EASY DATA EXPORTING**  
via LAN, USB, WIFI  
in PDF or CSV formats

✓

**EASY INTEGRATION WITH CONTROL SYSTEMS:**  
vision systems and inspection systems for contaminant search



ALL UNDER CONTROL WITH TOUCH SCREEN DISPLAY

# TRANSPORT SYSTEMS



**PLANE BELTS**  
FOR REGULAR SHAPE PRODUCTS






**V-SHAPED BELTS** FOR SPHERICAL  
AND CYLINDRICAL PRODUCTS



BELT FOR  
**CARTENE CASING**



The transport systems comply with FDA regulations, created ad hoc with dedicated leghts for the different types of product

- ✓ Suitably sized motorisations to guarantee prolonged use
- ✓ Electro-assisted movement system of the standard printing unit, controllable by touchscreen
- ✓ Easy interchangeability of label application systems depending on the product (arm, pusher, AIR JET)



Conveyors belts removable for cleaning and maintenance

# OPTIONAL



ON REQUEST,  
SYSTEMS ARE AVAILABLE:

✓ **for the selection  
and ejection of non-  
conforming products:**

- flap
- pusher
- air-jet

- ✓ Metal Detector
- ✓ Thermal transfer printer kit
- ✓ Configurable stack lights
- ✓ Guides for belts
- ✓ Software for archives backup and labels graphic editing
- ✓ Software for connection to SQL database



 **Galaxi**  
WEIGH AND LABEL

DYNAMIC QUALITY PROCESS

