

BEFARD XP
VACUUM GRIPPER SERIES

BEFARD XP


BEFARD suction cups are available in various variants differing by lifting capacity and number of suction cups. The individual variants of BEFARD suction cups are units suitable for various needs of the users.

FEATURES OF BEFARD VACUUM GRIPPER:


- manual rotation by 360°, interlock for rotation by 45°,
- two independent vacuum circuits, each secured,
- integrated vacuum measurement and monitoring device,
- manual multi-stage tilting,
- easy individual configuration of suction cups, without using any specialized tools,
- the set includes a **remote control** for vacuum and charger with the battery charging indicator
- optionally, at an additional cost, a transport box or a transport trolley is available

TECHNICAL PARAMETERS


Vacuum system:	Double-circuit
Number of suction cups:	4, 6, 8, 10, 12 or 14
Suction cups:	Ø 310 mm
Min/max vacuum:	-0,6/-0,8 bars
Power supply:	12 V battery
Lifting capacity:	
4 suction cups:	300 kg
8 suction cups:	600 kg
12 suction cups:	900 kg
6 suction cups:	450 kg
10 suction cups:	800 kg
14 suction cups:	1000 kg



Gripper height



BEFARD XP 602



Lifting capacity:
600 kg



Number of
suction cups: 8

Gripper weight:
84 kg



BEFARD XP 302




Lifting capacity:
300 kg



Number of
suction cups: 4

Gripper weight: 60 kg



BEFARD XP 452




Lifting capacity:
450kg



Number of
suction cups: 6

Gripper weight: 72 kg



BEFARD XP 802




Lifting capacity:
800kg



Number of
suction cups: 10

Gripper weight: 96 kg



BEFARD XP 902




Lifting capacity:
900 kg



Number of
suction cups: 12

Gripper weight: 108 kg



BEFARD XP 1002



Lifting capacity:
1000 kg



Number of
suction cups: 14

Gripper weight: 120 kg

