

[www.ozkantarim.com.tr](http://www.ozkantarim.com.tr)



*Powerful machines for sustainable agriculture.*



**ÖZKAN<sup>®</sup>**  
**TARIM MAKİNE**

[www.ozkantarim.com.tr](http://www.ozkantarim.com.tr)



# Empowering farmers with innovative machinery, a future for agriculture..

Özkan Agricultural Machinery enhances the productivity of our farmers and contributes to sustainable agriculture thanks to the machines it produces with innovative technologies.

With our durable, practical, and high-performance products, we are meeting today's needs while also shaping the future of farming.



ÖZKAN<sup>®</sup>  
TARIM MAKİNE

Power  
Extending to  
**42 Countries**

Since 1979, Özkan Tarım Makine has been exporting its machinery, developed with a 90% domestic production approach, to 42 countries, providing confidence and efficiency to farmers worldwide.



ÖZKAN®  
TARIM MAKİNE

Powerful  
machinery for powerful  
tomorrows.



## Contents:

08/09	- About Us	34/35	- 6 Ton Pool Type Trailer
10/11	- Vision / Mission	36/37	- Rear Tipping Tandem Trailer
12/13	- Our Agricultural Machinery	38/39	- 4 Wheel Rear Tipping Trailer
14/15	- B3 Plus Pumpkin Harvester Machine	40/41	- 2 Wheel Rear Tipping Trailer
16/17	- B2 Plus Pumpkin Harvester Machine	42/43	- Water Pipe Trailer
18/19	- B2 Pumpkin Harvester Machine	44/45	- Reliable Solution for Agricultural Transport
20/21	- B1 Pumpkin Harvester Machine	46/47	- 12 Ton Solid Manure Spreader Trailer
22/23	- Harvester with Storage Tank	48/49	- 10 Ton Solid Manure Spreader Trailer
24/25	- Harvester with Washing System	50/51	- Power in Agriculture with Innovative Solutions
26/27	- Pumpkin Machine With Washer	52/53	- Cucumber Harvester
28/29	- Strong & Durable Trailers	54/55	- 8 M³ Vertical Feed Mixer
30/31	- 25 Ton Pool Type Trailer	56/57	- 15,000 L 304 Chrome Water Tanker
32/33	- 10 Ton Pool Type Trailer	58/59	- Strong Machines, Strong Tomorrows

# We produce the best for you.



**30+**  
Years of Experience

## About Us

**Özkan Tarım Makine A.Ş.**, established in 1979 to manufacture agricultural machinery, continues to hold a pioneering position in the sector with nearly half a century of experience.

Operating in 7 main product groups with a 90% domestic production approach across a 3,500 m<sup>2</sup> indoor and 25,000 m<sup>2</sup> outdoor area, our company offers innovative solutions such as pumpkin seed harvesting machines, melon-watermelon row making machines, pumpkin seeding machines, automatic ploughs, and various types of trailers.

Today, **Özkan Tarım Makine** has become a globally preferred and trusted brand, exporting to 42 countries. With its commitment to quality, continuous investments, and close monitoring of technology, the company is realizing its sectoral leadership goals step by step.

Our unchanging principles are quality, service, on-time delivery, and reasonable pricing. With the support of our valued customers, we will continue to empower agriculture today and in the future, just as we have in the past.

We strive  
for the best.



## Vision

To become a recognized leading agricultural machinery brand in the global market by adapting to constantly evolving technology, and to adopt the highest quality standards in the sector.

## Mission

To combine our knowledge and experience in agricultural machinery production with our customer-focused approach, to offer quality and innovative products, and to contribute to the development of the agricultural sector.



ÖZKAN®  
TARIM MAKİNE

## Our Agricultural Machinery

Özkan Tarım Makine stands with our farmers, offering 7 different machine types developed for the needs of modern agriculture and a wide range of spare parts.

The solutions we provide—from pumpkin seed harvesting machines to melon-watermelon row making systems, various trailers to automatic ploughs—boost your production through high efficiency, durability, and ease of use.

## B3-PLUS PUMPKIN HARVESTER MACHINE

### KHM-B3-PLUS



## B3-PLUS PUMPKIN HARVESTER MACHINE

### TECHNICAL FEATURES



Interchangeable screens (Sieves No. 1 and No. 2) for product variation, easy deformation correction, and maintenance.



The machine's safety system that prevents foreign objects from jamming in the cutter chamber with a friction-clutch cutter.




Piston-operated stand that allows height adjustment of the tractor and the machine.



Wheeled stand that ensures the studded drum moves independently according to ground conditions, directing pumpkins into the drum on rough terrain.




Wheeled stand that ensures the studded drum moves independently according to ground conditions, directing pumpkins into the drum on rough terrain.




Cleaning augers carry the pumpkin and similar products, separating them from soil, mud, and grass, to the crushing chamber.



Offers a long-lasting and easy chain tensioning option thanks to its gear, bearing, and helical spring adjustment system.



The seed conveying unit (elevator) ensures smooth operation thanks to its specially designed rubber-paddled impact system.



Flaring auger located above the seed tank ensures the seeds can flow completely into the tank.



20-liter soapy washing tank.

PRODUCT CODE	KHM-B3-PLUS	SHAFT SPEED / P.T.O 540/1500 S / MIN	540/1500 S / MIN
LENGTH	5200 MM	TRACTOR CONNECTION	MECHANICAL
TRANSPORT WIDTH	2600 MM	SEED TANK DISCHARGE	AUGER
TOTAL WORKING WIDTH	4000 MM	AUGER DISCHARGE HEIGHT	4000 MM
HEIGHT	2900 MM	CONTROL METHOD	TRACTOR
WEIGHT	3800 KG	SIEVE (BOLTED)	VARIABLE
LOADED WEIGHT	6600 KG	WHEELS	500/50/17
WORKING ROW WIDTH	1350 MM	MAXIMUM WORKING SPEED	8 KM / HR
SEED TANK (CAPACITY)	2800 KG	MINIMUM REQUIRED POWER	130 HP


## B2-PLUS PUMPKIN HARVESTER MACHINE

### KHM-B2H



## B2-PLUS PUMPKIN HARVESTER MACHINE

### TECHNICAL FEATURES



Interchangeable screens (Sieves No. 1 and No. 2) for product variation, easy deformation correction, and maintenance.

The machine's safety system that prevents foreign objects from jamming in the cutter chamber with a friction-clutch cutter.

Piston-operated stand that allows height adjustment of the tractor and the machine.

Wheeled stand that ensures the stood drum moves independently according to ground conditions, directing pumpkins into the drum on rough terrain.

Cleaning augers carry the pumpkin and similar products, separating them from soil, mud, and grass, to the crushing chamber.

Offers a long-lasting and easy chain tensioning option thanks to its gear, bearing, and helical spring adjustment system.

The seed conveying unit (elevator) ensures smooth operation thanks to its specially designed rubber-paddled impact system.

Flared auger located above the seed tank ensures the seeds can flow completely into the tank.

20-liter soapy washing tank.

PRODUCT CODE	KHM-B2 PLUS	SEED TANK (CAPACITY)	1100 KG
LENGTH	4300 MM	WATER TANK (CAPACITY)	450 LT
WIDTH	2400 MM	P.T.O. SHAFT SPEED	540 MIN
HEIGHT	2700 MM	WORKING CAPACITY	4 KM / HR
WEIGHT	3300 KG	MINIMUM REQUIRED POWER	100 HP / 75 KW


## B2 - PUMPKIN HARVESTER MACHINE

### KHM-B2



## B2 - PUMPKIN HARVESTER MACHINE

### TECHNICAL FEATURES



Interchangeable screens (Sieves No. 1 and No. 2) for product variation, easy deformation correction, and maintenance.

The machine's safety system that prevents foreign objects from jamming in the cutter chamber with a friction-clutch cutter.

Piston-operated stand that allows height adjustment of the tractor and the machine.

Wheeled stand that allows the pumpkin collection drum to move independently according to rough terrain conditions.

Wheeled stand that ensures the studded drum moves independently according to ground conditions, directing pumpkins into the drum on rough terrain.

Cleaning augers carry the pumpkin and similar products, separating them from soil, mud, and grass, to the crushing chamber.

Offers a long-lasting and easy chain tensioning option thanks to its gear, bearing, and helical spring adjustment system.

The seed conveying unit (elevator) ensures smooth operation thanks to its specially designed rubber-paddled impact system.

The weed cleaning star assembly located above the studded drum cleans grass and similar materials coming in with the pumpkins and transfers them to the second cleaning and conveying augers.

20-liter soapy washing tank.

PRODUCT CODE	KHM-B2	WATER TANK (CAPACITY)	450 LT
LENGTH	4500 MM	P.T.O. SHAFT SPEED	540 MIN
WIDTH	2300 MM	WORKING CAPACITY	4 KM / HR
HEIGHT	2700 MM	MINIMUM REQUIRED POWER	100 HP / 75 KW
WEIGHT	3000 KG	WHEEL	400 / 60 / 15.3
SEED TANK (CAPACITY)	1100 KG		

## B1 - PUMPKIN HARVESTER MACHINE

**KHM-B1**


## B1 - PUMPKIN HARVESTER MACHINE

**TECHNICAL FEATURES**


Cleaning augers carry the pumpkin and similar products, separating them from soil, mud, and grass, to the crushing chamber.



Offers a long-lasting and easy chain tensioning option thanks to its gear, bearing, and helical spring adjustment system.



The seed conveying unit (elevator) ensures smooth operation thanks to its specially designed rubber-paddled impact system.



The machine's safety system that prevents foreign objects from jamming in the cutter chamber with a friction-clutch cutter.



The seed conveying unit (elevator) ensures smooth operation thanks to its specially designed rubber-paddled impact system.




Wheeled stand that allows the pumpkin collection drum to move independently according to rough terrain conditions.



The weed cleaning star assembly located above the studded drum cleans grass and similar materials coming in with the pumpkins and transfers them to the second cleaning and conveying augers.



Wheeled stand that ensures the studded drum moves independently according to ground conditions, directing pumpkins into the drum on rough terrain.



20-liter soapy washing tank.

PRODUCT CODE	KHM B1	SEED TANK (CAPACITY)	600 KG
LENGTH	3900 MM	WATER TANK (CAPACITY)	400 LT
WIDTH	2300 MM	P.T.O. SHAFT SPEED	540 DK / MIN
HEIGHT	2600 MM	WORKING CAPACITY	2 KM / HR
WEIGHT	2400 KG	REQUIRED POWER	60 HP / 45 KW
		WHEEL	10.0 / 75 - 15.3

## PUMPKIN MACHINE WITH STORAGE

DKM



## PUMPKIN MACHINE WITH STORAGE

TECHNICAL FEATURES



PRODUCT CODE	DKM	SEED TANK	600 MM
LENGTH	3700 MM	WATER TANK	450 LT
WIDTH	1900 MM	P.T.O. SHAFT SPEED	540 MIN
HEIGHT	2600 MM	WORKING CAPACITY	20000 KG / HR
WEIGHT	1450 KG	MINIMUM REQUIRED POWER	70 HP
		WHEEL	10.0 / 75 - 15.3

## PUMPKIN MACHINE WITH WASHER

YKM



## PUMPKIN MACHINE WITH WASHER

TECHNICAL FEATURES



PRODUCT CODE	YKM	SEED TANK	50 KG BAG
LENGTH	3700 MM	WATER TANK	500 LT
WIDTH	1900 MM	P.T.O. SHAFT SPEED	540 DK / MIN
HEIGHT	1400 MM	WORKING CAPACITY	30000 KG / HR
WEIGHT	1150 KG	REQUIRED POWER	50 HP / 40 KW
		WHEEL	10.0 / 75 - 15.3

## PUMPKIN ROW MAKING MACHINE

KSYM



## PUMPKIN ROW MAKING MACHINE

TECHNICAL FEATURES



PRODUCT CODE	KSYM	OPERATING METHOD	P.T.O.
LENGTH	1700 MM	WORKING WIDTH	3500 MM
WIDTH	3000 MM	WORKING CAPACITY	12000 M <sup>2</sup> / hr
HEIGHT	1400 MM	MINIMUM REQUIRED POWER	40 HP / 25 KW
WEIGHT	700 KG		




## Strong & Durable Trailers

Özkan Tarım trailers are the greatest aid to our farmers with their high carrying capacity, robust structure, and long-lasting usage advantages in agricultural transportation. Offering solutions for every need with different size and model options, our trailers boost your production with their durability and practical use.



## 25 TON POOL TYPE TRAILER

OZK-H25



## 25 TON POOL TYPE TRAILER

TECHNICAL FEATURES



PRODUCT CODE	CAPACITY	DIMENSIONS	PANEL EXTENSION	TIRE	AXLE	BRAKE
OZK-H25	25 TON	5500/2300 MM	1500 MM	560/45/22,5	2	PNEUMATIC

10 TON POOL  
TYPE TRAILER

OZK-H10



10 TON POOL  
TYPE TRAILER

TECHNICAL FEATURES



PRODUCT CODE	CAPACITY	DIMENSIONS	PANEL EXTENSION	TIRE	AXLE	BRAKE
OZK-H10	10 TON	4300/2200 MM	1000 + 400 MM	500/50/17	1	HYDRAULIC

**6 TON POOL  
TYPE TRAILER**

OZK-H6



**6 TON POOL  
TYPE TRAILER**

TECHNICAL FEATURES



PRODUCT CODE	CAPACITY	DIMENSIONS	PANEL EXTENSION	TIRE	AXLE	BRAKE
OZK-H6	6 TON	4000-2000 MM	700 MM	400/60/15,3	1	HYDRAULIC



## REAR TIPPING TANDEM TRAILER

OZK-TR



## REAR TIPPING TANDEM TRAILER

TECHNICAL FEATURES



PRODUCT CODE	CAPACITY	DIMENSIONS	PANEL EXTENSION	TIRE	BRAKE
OZK-10	10 TON	4500 / 2200 MM	600 + 400 MM	12,5 / 80 / 15,3	HYDRAULIC
OZK-12	12 TON	4800 / 2200 MM	600 + 300 + 300 MM	400 / 60 / 15,3	HYDRAULIC
OZK-14	14 TON	5000 / 2200 MM	700 + 300 + 300 MM	400 / 60 / 15,3	HYDRAULIC
OZK-16	16 TON	5000 / 2200 MM	700 + 400 + 400 MM	500 / 50 / 17	HYDRAULIC



## 4-WHEEL REAR TIPPING TRAILER

OZK - 4 TR



## 4-WHEEL REAR TIPPING TRAILER

TECHNICAL FEATURES



PRODUCT CODE	CAPACITY	DIMENSIONS	PANEL EXTENSION	TIRE	BRAKE
OZK-6	6 TON	4500/2200 MM	600+400 MM	12,5 / 80 / 15,3	HYDRAULIC
OZK-8	8 TON	5000/2000 MM	600+300+300 MM	12,5 / 80 / 15,3	HYDRAULIC
OZK-10	10 TON	5000/2200 MM	700+300+300 MM	400 / 60 / 15,3	HYDRAULIC
OZK-14	14 TON	5500/2200 MM	700+400+400 MM	400 / 60 / 15,3	HYDRAULIC

## 2 WHEEL REAR TIPPING TRAILER

OZK - 2 TR



## 2 WHEEL REAR TIPPING TRAILER

TECHNICAL FEATURES



PRODUCT CODE	CAPACITY	DIMENSIONS	PANEL EXTENSION	TIRE	BRAKE
OZK-1.5	1.5 TON	1300 / 2100 MM	400 / 200 MM	10 / 80 / 12	HYDRAULIC
OZK-3	3 TON	3000 / 2000 MM	600 + 300 MM	12,5/ 80 / 15,3	HYDRAULIC
OZK-4	4 TON	3200 / 2000 MM	600 + 300 MM	12,5/80 / 15,3	HYDRAULIC
OZK-5	5 TON	3300 / 2000 MM	600 + 300 MM	12,5 / 80 / 15,3	HYDRAULIC
OZK-6	6 TON	3400 / 2100 MM	600 + 300 MM	12,5 / 80 / 15,3	HYDRAULIC
OZK-8	8 TON	3500 / 2100	600 + 300 + 300 MM	400 / 60 / 15,3	HYDRAULIC

## WATER PIPE TRAILER

BR



## WATER PIPE TRAILER

TECHNICAL FEATURES



PRODUCT CODE	CAPACITY	DIMENSIONS	PANEL EXTENSION	TIRE	AXLE	BRAKE
BR	6 TON	4500 -2200 MM	500+1500 MM	400/60/15,3	1	HYDRAULIC



ÖZKAN<sup>®</sup>  
TARIM MAKİNE

## Reliable Solution in Agricultural Transportation

Özkan Tarım trailers offer reliable use throughout all processes, from harvest to transportation, thanks to their large volume and high durability features. With their robust construction, advantage of easy operation, and long-lasting structure, they lighten the burden on our farmers.

**12 TON SOLID MANURE  
SPREADER TRAILER**

**12 KGR**



**12 TON SOLID MANURE  
SPREADER TRAILER**

**TECHNICAL FEATURES**



SPREADING SYSTEM	HORIZONTAL AUGER	HEIGHT	2700 MM
PRODUCT CODE	12 KGR	EXTENSION PANEL	-
AXLE	1	WEIGHT	3700 KG
BODY LENGTH	4500 MM	REAR PANEL	HYDRAULIC
SPREADER BLADE	2 / 3 WING	PANEL / COVER	1500 MM
WIDTH	2350 MM	BRAKE	HYDRAULIC
WHEEL	600 / 50 / 22.5		

## 10 TON SOLID MANURE SPREADER TRAILER

10 KGR



## 10 TON SOLID MANURE SPREADER TRAILER

TECHNICAL FEATURES



PRODUCT CODE	10 KGR	HEIGHT	2200 MM
AXLE	1	ADDITIONAL COVER	-
BODY LENGTH	4000 MM	WEIGHT	2800 KG
SPREADER FAN / IMPELLER	2 / 3 BLADE	REAR COVER HYDRAULIC	
WIDTH	2150 MM	COVER / PANEL	1200 MM
TIRE / WHEEL	285 / 70 / 19,5	BRAKE	HYDRAULIC
SPREADING SYSTEM	HORIZONTAL FAN		



ÖZKAN®  
TARIM MAKİNE

# Power in Agriculture with Innovative Solutions

Our product portfolio includes indispensable equipment for modern farming, such as pumpkin harvest machines, pumpkin, watermelon, and melon sorting machines, seed harvest machines, and various agricultural trailers. All our products are designed with the principles of ease of use, durable structure, and high performance. Özkan Agricultural machinery is continuously developed in line with feedback from the field and user experiences. Thus, our machines significantly increase agricultural productivity by saving our farmers both labor and time.



SHM 1



PRODUCT CODE	SHM-01	WIDTH	1850 MM
CLEANING UNIT	3	SEED VARIETIES	Cucumber / Watermelon / Tomato / Pepper / Eggplant
LENGTH	2400 MM	HEIGHT	2470 MM
OPERATION TYPE	22 kW, 380V ELECTRIC	WEIGHT	1800 KG

TECHNICAL FEATURES



SHM 2

PRODUCT CODE	SHM-02
CLEANING UNIT	2
LENGTH	2400 MM
WORKING CAPACITY	SA / 20.000 KG
WIDTH	1150 MM
ÇALIŞMA ŞEKLİ	15 kW, 380V ELECTRIC
HEIGHT	1800 MM
SEED VARIETIES	Cucumber / Watermelon / Tomato / Pepper / Eggplant
WEIGHT	1250 KG



SHM 3

PRODUCT CODE	SHM-03
CLEANING UNIT	3
LENGTH	2400 MM
SEED VARIETIES	Cucumber / Watermelon / Tomato / Pepper / Eggplant
WIDTH	1850 MM
HEIGHT	2470 MM
WEIGHT	1100 KG

**8 M<sup>3</sup> VERTICAL  
FEED MIXER**

**8 MDYK**



**WITH SCALE / LOADING /  
ELEVATOR BUCKET**

**8 M<sup>3</sup> VERTICAL  
FEED MIXER**

**TECHNICAL FEATURES**



PRODUCT CODE	8 MDYK	GEARBOX	DOUBLE SPEED DOUBLE GEARBOX
AXLE	1	HEIGHT	2000 MM
BODY LENGTH	3000 MM	LOADING SYSTEM	WITH SCALE / LOADING / ELEVATOR BUCKET
TIRE / WHEEL	10.0 / 75 -15.3	WEIGHT	3100 KG
WIDTH	1850 MM	REQUIRED POWER	65 HP

## 15.000 LT 304 CHROME WATER TANKER

KST 15T



Motor-Pumped  
(or Motorized Pump)  
Hose : 20 M



## 15.000 LT 304 CHROME WATER TANKER

TECHNICAL FEATURES



PRODUCT CODE	KST-15000	HEIGHT	2300 MM
LENGTH	5500 MM	WEIGHT	3100 KG
WIDTH	2300 MM	BRAKE	AIR



ÖZKAN®  
TARIM MAKİNE

# Strong Machines, Strong Tomorrows

Özkan Tarım Makine is always by our farmers' side with its innovative solutions and high-quality production. We add value to agriculture and direct the future of production together with our machines, which prioritize durability, ease of use, and efficiency.





[www.ozkantarim.com.tr](http://www.ozkantarim.com.tr)



ÖZKAN®



**Factory**

Sindekhöyük Camiikebir Mah.  
İdris Aşık Cad. No : 208  
Develi/Kayseri/TÜRKİYE



**Phone**

+90 (352) 625 57 23  
+90 (536) 449 01 12  
+90 (535) 229 96 41



**E-Mail**

info@ozkantarim.com.tr  
export@ozkantarim.com.tr

*We add technology to our farmer's labor.*