
OUR PRODUCTS

A one-stop solution for the tobacco industry.


MAKING LINE



- ALEMİN CIGARETTE MAKING MACHINE
- ALEMIN FILTER ATTACHMENT
 MACHINE



PACKING LINE



ADDITIONAL PRODUCTS

- TAX STAMPER
- PAPER BUNDLER

www.aleminsan.com.tr

ALEMIN MAKER WITH FILTER ATTACHMENT MACHINE



The ALEMIN MAKER is known for producing the highest-quality cigarettes of any machine on the market. It's highly efficient, easy to use, and can handle virtually any tobacco type. The ALEMIN-MAKER provides a reliable and predictable output, contributing to its remarkable total-life and lowcost ownership. It is a mechanical, fully automatic cigarette maker that can churn out about 2000-2500 cigarettes per minute. This machine consists of a Cigarette maker and filter assembler. ✓ Double Knife, Max 15 Multiroll 1117 InfeedUnit

- 2000-2500 Cigarettes Per Minute
- \checkmark PLC Controlled System with HMI Touch Display (Delta standard)

MACHINE TYPE	ALEMIN FILTER ATTACHMENT MACHINE	MACHINE TYPE	ALEMİN CIGARETTE Making Machine
FILTER TIP ATTACHMENT	6UPS / 4UPS	MACHINE SPEED	CIGARETTES PER MINUTE (2000-2500)
SEAM GLUE	PVA / HOTMELT	WEIGHT CONTROL SYSTEM	MICROWAVE OR NO NEED
PLC TYPE	DELTA	PLC TYPE	DELTA
POWER SUPPLY	380V/50Hz, 380V/60Hz, 400V/50Hz	POWER SUPPLY	380V/50HZ , 380V/60HZ, 400V/50HZ

ALEMIN PACKER (HLP)



The ALEMIN HLP cigarette packing machine packs approximately 10 or 20 cigarettes per box, or any number specified by the customer as per requirements. Cigarettes are packaged in a packet box and wrapped in aluminium foil paper. This machine features Delta PLC controls for simplified operation. This machine generates approximately 100-120 packets per minute in a variety of configurations, including D-type, Bevel Edge, Round Corners, and Square Corners. The cigarettes packed here can be of any style, including slim, super slim, regular, and king size, and 10 or 20 cigarettes can be packed per box in any collation.

- ✓ Centralized Lubrication System
- ✓ 100-120 Cigarette Packets Per Minute
- PLC Controlled System with HMI Touch Display (Delta standard)

MACHINE TYPE	ALEMIN PACKER
WORKING SPEED (PRODUCTION)	100-120 PPM
PNEUMATIC SYSTEM	SMC Pneumatics
TYPE OF DISPLAY	HMI UNIT WITH TOUCH SCREEN DISPLAY
POWER SUPPLY (NOMIAL VOLTAGE)	440 V 3 PHASE

ALEMIN WRAPPER



The ALEMIN WRAPEX is a proven workhorse that delivers 200 cigarette packs per minute. This machine has exceeded customer expectations regarding quality, operability, and efficiency due to its superior design. The Wrapping Machine is designed specifically for the cellophane wrapping of cigarette packs. Our wrapping machine produces packaging that is smooth, flawless and beautiful.

- **SMC Pneumatic System** \checkmark
- 180-200 Cigarette Packets Per Minute
- PLC Controlled System with HMI Touch Display (Delta standard)

MACHINE TYPE	ALEM i N WRAPEX
RUNNING SPEED/MAX SPEED	250 PPM/300 PPM
CONVEYOR LINK-UP	YES
MANUAL FEEDING HOPPER	YES
POWER SUPPLY (NOMIAL VOLTAGE)	440V 3 PHASE

ALEMIN BOXER



Our superior and high-quality cigarette boxing machines are constructed from durable materials that increase their longevity. Our boxer machines are energy efficient, can significantly reduce energy costs. Powered by intelligent and automated technologies, the excellent cigarette boxer machine is simple to operate and has a faster packaging speed. The working processes include the transfer of cigarette packets, the auto-opening and transporting of boxes, loading cigarette packets into carton boxes, and sealing and closing two carton box ends.

- ✓ SMC Pneumatic System
- ✓ 18-22 Cartons Per Minute
- ✓ PLC Controlled System with HMI Touch Display (Delta standard)

MACHINE TYPE	ALEMIN BOXER
MAXIMUM SPEED	22 CARTONS/ MIN
LOCABLE SUPPLIES INPUTS	YES
POWER SUPPY (NOMIAL VOLTAGE)	440 V 3 PHASE

ALEMIN OVER WRAPPER



The ALEMIN OVER-WRAPPER wraps between 18 and 22 cigarette boxes per minute. Meets medium to high production requirements efficiently. Aleminsan over wrapper machines are able to wrap cartons flawlessly and smoothly. This machine is equipped with delta PLC controls to simplify operations.

- ✓ SMC Pneumatic System
- ✓ 18-22 Cartons Per Minute
- ✓ PLC Controlled System with HMI Touch Display (Delta standard)

MACHINE TYPE	ALEMIN OVER -WRAPPER
MAXIMUM SPEED	22 CARTONS/ MIN
LOCABLE SUPPLIES INPUTS	YES
POWER SUPPY (NOMIAL VOLTAGE)	440 V 3 PHASE





Aleminsan Makina Danişmanlik Limited Şirketi