



CANNON SPRAYERS MOUNTED CANNON TYPE RADIAL FAN

## FELIX ANATOLIA CANNON FAC









SPECIFICATION TANK: Polyethylene

TANK CAPACITY: 600 lt - 800 lt - 1.000 lt - 1.200 lt

TRANSMISSION SYSTEM: 2 Speed + Neutral Gearbox

ROTATION: 0-90 degree

**CANNON HEAD:** Painted

## TANK COLOR OPTIONS





## **STANDARD FEATURES**

A-105 PUMP



(105 lt/min with 4 Membranes)

CHECK VALVE FILTER



CLEAN WATER TANK



CANNON RADIAL FAN



HYDRAULIC DEGREE ADJUSTMENT PISTON KIT





HAND WASH TANK



TANK RINSING NOZZLE



DOUBLE ADJUSTABLE BRASS TURBO NOZZLE WITH ANTI-DRIP



WORKING ROTATION



## **OPTIONAL FEATURES**

IDM-140 PUMP



(140 lt/min with 3 Membranes)

GALVANIZED CANNON



ÖNTAR BYMATIC




HOT GALVANIZED CHASSIS



X\*\*\*\*\*\*\*

Horizontal Effective Range = 25 Meter Horizontal Maximum Range = 35 Meter



*Vertical Effective Range = 15 Meter Vertical Maximum Range = 15 Meter* 

Büyükkayacık Mahallesi 4. OSB 405 Sk. No: 28 Selçuklu / KONYA / TÜRKİYE

444 0 812

bilgi@ontar.com.tr

and the and the second states