DMS OSMAN ÇUBUK LTD. ŞTİ.

KKM-2

AUTOMATIC PLAFORM- REİNFORCED CORNER TRAY FORMING MACHINE







- High Flexibility
- Quick Format Changeover
- High Out Up Capacity
- Low Noise
- Easy Handling
- High Reliability
- Minimum Mainteance













Reinforced Corner Group



Touch Screen Panel



Central Adjustmant Units for
Quick Format Changeover



Pneumatic valf and tension





Brake Motor



Blank Magazine





Hot Melt Tank

TECHNICAL SPECIFICATION

OPERATION	— Mechanic , Pneumatic and Electric
GLUE SYSTEM	— MELER , (ROBATECH-OPTİONAL)
PRODUCTION SPEED	— Max. 22-40 Pcs/min. (Depends the sizes of tray)
ELECTRICAL SUPPLY	— 380 Volt (3 Phase + Notr + E) , 9 KW
AIR CONSUMPTION	— 45 nl/ cycle
AIR PRESSURE	— 6 Bar
TOTAL WEIGHT	— 1600 KG
DIMENSION	— L 5.700 x W 1.400 x H 2.000 mm
STACKER (İM-1)	— Optional



	Min.	Max.
X	420	1300
Y	340	1000
W	190	600
L	280	600
L1	390	600
W1	290	600
C	60	250 (300)
C1	60	-
Q	35	60
RT	140	-
HT	40	130
HF	35	65
E	35	120
F	35	70
G	120 STANDARD	-

WORKTABLE TRAYS





















DISTRIBUTOR

DMS OSMAN ÇUBUK LTD. ŞTİ.
5647 Sokak No:13 Çamdibi - İZMİR / TÜRKİYE
Tel: 0090 232 433 62 50 Fax: 0090 232 433 62 54
www.osmancubuk.com / info@osmancubuk.com