DMS OSMAN ÇUBUK LTD. ŞTİ.

KKM-2 EVO

AUTOMATIC PLAFORM- REİNFORCED CORNER TRAY FORMING MACHINE







- High Flexibility
- Quick Format Changeover
- High Out Up Capacity
- Low Noise
- Easy Handling
- High Reliability
- Minimum Mainteance













Corner Forming System

(Open&Close Corner)



Corner Type (Open & Close)





Pneumatic Corner Blocks Lifting System



Brake Motor



Long side double wall

preparation apparatus



Blank Magazine





Hot Melt Tank

TECHNICAL SPECIFICATION

OPERATION	Mechanic , Pneumatic and Electric
GLUE SYSTEM	MELER & ROBATECH (Optional Robatech)
PRODUCTION SPEED	Max. 20-40 Pcs/min. (Depends the sizes and Type of tray)
ELECTRICAL SUPPLY	380 Volt (3 Phase + Notr + E) , 6,5 KW
AIR CONSUMPTION	70 nl/ cycle
AIR PRESSURE	6 Bar
TOTAL WEIGHT	1700 KG
DIMENSION	L 5.850 x W 1.400 x H 2.000 mm
STACKER (İM-1)	Optional



	Min.	Max.
X	420	1300
Y	340	1000
W	190	600
L	280	600
L1	390	600
W1	290	600
C	60	250 (300)
C1	60	-
Q	35	60
RT	140	-
HT	40	130
HF	35	65
E	35	120
F	35	70
G	120 STANDARD	-

WORKTABLE TRAYS

Optional



Optional





Close





















DISTRIBUTOR

DMS OSMAN ÇUBUK LTD. ŞTİ.
5647 Sokak No:13 Çamdibi - İZMİR / TÜRKİYE
Tel: 0090 232 433 62 50 Fax: 0090 232 433 62 54
www.osmancubuk.com / info@osmancubuk.com