



Hakkımızda

Lift Sektörü Kaldırma Taşıma Ekipman.Raf Sis.Delme Kesme ve Yıkım İşleri San. Tic. Firması 2014 yılında bir aile şirketi olarak kurulmuştur. Kendini sürekli geliştirmeyi hedefleyen misyonuyla ve yenilikçi vizyonuyla başarılı çalışmalar ortaya koymuştur. Bundan sonraki süreçte de ilkelerinden taviz vermeden faaliyet gösterdiği sektördeki çalışmalarını devam ettirmeyi planlamaktadır.

İstanbul'da merkez ofis ve Manisa Turgutlu'da özel imalat ürünler üretim atölyesi ile faaliyetlerine devam etmektedir.

Misyonumuz

Faaliyet gösterdiğimiz sektörlerde çözümler arayan tüm müşteriler için ilk akla gelen çözüm ortağı olmayı, geniş ölçüde yenilikçi ürünlerimiz, hizmetlerimiz ve topluma saygımızla anılmayı arzu ederiz. Müşterilerimize, işlerine gerçek değer katan fevkalade kaliteli ürünler ve hizmetler vererek müşterilerimizle karşılıklı bir güven inşa ederiz. Gelişmek için asla bitmeyen bir arayışla, çalışanlarımızın, paydaşlarımızın ve tedarikçilerimizin beklentilerine ve tutkularına saygı duyarız.

Hedeflerimiz

- Şirketimizin yetenek ve kapasitesi doğrultusunda, müşterilerimizin tüm ürün ve hizmetlerini dünya standartlarında karşılamak.
- Dünya, ülke ve bölge ekonomisine katkıda bulunmak.
- Mevcut ve yeni ürünlerimiz ile faaliyet bölgelerimizin gelişiminde önemli roller alarak, sürekli girişimci olmak.
- Yüksek seviyede müşteri tatmini sağlamak.
- Kalitede, yaratıcılıkta ve teknolojik gelişmelerde lider olmak.
- En son teknoloji ile en çabuk sürede hizmet vermek.

Vizyonumuz

Firmamız yüklendiği misyonu, prensipleri ve çizgisinden hiçbir şekilde taviz vermeyerek kısa bir sürede elde ettiği başarılı çalışmalarını devam ettirerek, gelecek bir kaç yıl içerisinde sektörün öncü ve yenilikçi liderlerinden biri haline gelmek ve hakettiği yerde bulunmayı hedeflemektedir.

About Us

Lift Sector Lifting Transport Equipment Raf System Drilling Cutting and Demolition Works San. Trade The firm was established in 2014 as a family business. It has produced successful works with its mission of continuous improvement and innovative vision. In the next period, it plans to continue its activities in the sector in which it operates without compromising its principles.

It continues its activities with its head office in Istanbul and a special production workshop in Turgutlu, Manisa.

Our Mission

We would like to be the first solution partner that comes to mind for all customers looking for solutions in the sectors in which we operate, and to be remembered with our innovative products, services and our respect for the society. We build mutual trust with our customers by providing them with exceptional quality products and services that add real value to their business. With a never-ending quest to improve, we respect the expectations and passions of our employees, stakeholders and suppliers.

Our Targets

- To meet all the products and services of our customers at world standards, in line with the talent and capacity of our company.
- To contribute to the world, country and regional economy.
- To be an entrepreneur constantly by taking important roles in the development of our current and new products and our operating regions.
- To provide a high level of customer satisfaction.
- To be a leader in quality, creativity and technological developments.
- To serve in the fastest time with the latest technology.

Our Vision

Our company aims to become one of the pioneer and innovative leaders of the sector in the next few years and to be in the place it deserves, by continuing its successful work in a short time without compromising its mission, principles and line.



OLS 129

Özellikler

Yan Duvarlar : High Gloss
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban: Antibakteriyel PVC Aksesuar
: Ayna Paslanmaz Küpeşte : 32 mm
Paslanmaz

Specifications

Side Panels : High Gloss
Rear Panel : Half size Mirror
Ceiling : Laser
Floor: Antibacterial PVC
Accessories : Mirror Stainless
Handrail : 32 mm stainless

OLS 130

Özellikler

Yan Duvarlar : High Gloss
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeşte : 32 mm Paslanmaz

Specifications

Side Panels : High Gloss
Rear Panel : Halfsize Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm stainless





OLS 131

Özellikler

Yan Duvarlar : High Gloss
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz Küpeşte :
32 mm Paslanmaz

Specifications

Side Panels : High Gloss
Rear Panel : Half Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

OLS 132

Özellikler

Yan Duvarlar : Satine Paslanmaz
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban: Granit
Aksesuar : Ayna Paslanmaz
Küpeşte : 32 mm Paslanmaz

Specifications

Side Panels : Stainless Steel
Rear Panel : Half Size Mirror
Ceiling : Laser
Floor: Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





OLS 133

Özellikler

Yan Duvarlar : High Gloss
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz Kümpeste :
32 mm Paslanmaz

Specifications

Side Panels : High Gloss
Rear Panel : Half Size Mirror
Ceiling : Lazer
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

OLS 134

Özellikler

Yan Duvarlar : Satine Paslanmaz
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban: Granit
Aksesuar : Ayna Paslanmaz
Küpeşte : 32 mm Paslanmaz

Specifications

Side Panels : Stainless Steel
Rear Panel : Half Size Mirror
Ceiling : Laser
Floor: Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





OLS 135

Özellikler

Yan Duvarlar: Cam + High Gloss
Arka Duvar: Tam Boy Ayna
Tavan: Lazer
Taban: Granit
Aksesuar: Ayna Paslanmaz Küpeşte :
32 mm Paslanmaz

Specifications

Side Panels: Mirror & High Gloss
Rear Panel: Full Size Mirror
Ceiling: Laser
Floor: Granite
Accessories: Mirror Stainless
Handrail: 32 mm Stainless

OLS 136

Özellikler

Yan Duvarlar : Lamine Cam
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban: Granit
Aksesuar : Ayna Paslanmaz
Küpeşte : 32 mm Paslanmaz

Specifications

Side Panels: Laminated Glass
Rear Panel: Full Size Mirror
Ceiling : Laser
Floor: Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





OLS 137

Özellikler

Yan Duvarlar: Membran (Baskılı)
Arka Duvar: Tam Boy Ayna
Tavan: Lazer
Taban: Granit
Aksesuar: Ayna Paslanmaz Küpeşte :
32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

OLS 138

Özellikler

Yan Duvarlar: Membran (Baskılı)
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban: Granit
Aksesuar : Ayna Paslanmaz
Küpeşte : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor: Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





OLS 139

Özellikler

Yan Duvarlar: Membran (Baskılı)
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban: Granit
Aksesuar : Satine Paslanmaz Küpeşte :
32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor: Granite
Accessories : Steel Stainless
Handrail : 32 mm Stainless

OLS 140

Özellikler

Yan Duvarlar: Lamine Cam
Arka Duvar: Yarım Boy Ayna
Tavan: Lazer
Taban: Granit
Aksesuar: Ayna Paslanmaz
Küpeşte: 32 mm Paslanmaz

Specifications

Side Panels: Laminated Glass
Rear Panel: Half Size Mirror
Ceiling: Laser
Floor: Granite
Accessories: Mirror Stainless
Handrail: 32 mm Stainless





www.srlasansor.com

OLS 141

Özellikler

Yan Duvarlar : Membran
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban: Antibakteriyel PVC Aksesuar
: Ayna Paslanmaz Küpeşte : 32 mm
Paslanmaz

Specifications

Side Panels : Membrane Rear
Panel : Full Size Mirror
Ceiling : Laser
Floor: Antibacterial PVC
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

OLS 142

Özellikler

Yan Duvarlar: Membran (Baskılı)
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban: Granit
Aksesuar : Ayna Paslanmaz
Küpeşte : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Half Size Mirror
Ceiling : Laser
Floor: Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless



OLS 143

Özellikler

Yan Duvarlar : Dekoratif
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeşte : 32 mm Paslanmaz

Specifications

Side Panels : Decorative
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





OLS 144

Özellikler

Yan Duvarlar : Membran
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Antibakteriyel PVC Aksesuar
: Ayna Paslanmaz K pe te : 32 mm
Paslanmaz

Specifications

Side Panels : Membrane Rear
Panel : Full Size Mirror
Ceiling : Laser
Floor: Antibacterial PVC
Accessories : Mirror Stainless
Handrail : 32 mm Stainless



OLS 145

Özellikler

Yan Duvarlar : Dekoratif
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz Küpeşte :
32 mm Paslanmaz

Specifications

Yan Duvarlar : Decorative
Arka Duvar : Full Size Mirror
Tavan : Laser
Taban : Granite
Aksesuar : Mirror Stainless
Küpeşte : 32 mm Stainless

OLS 146

Özellikler

28 Yan Duvarlar: Membran
(Baskılı) Arka Duvar : Tam Boy
Ayna Tavan : Lazer
Taban: Granit
Aksesuar : Ayna Paslanmaz
Küpeşte : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor: Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





OLS 147

OLS 148

Özellikler

Yan Duvarlar : Satine Paslanmaz
Arka Duvar : Yarı Boy Ayna
Tavan : Lazer
Taban : Antibakteriyel PVC
Aksesuar : Ayna Paslanmaz, Satine
Paslanmaz Korumalık Kümpeşte : 32
mm Paslanmaz

Specifications

Side Panels : Stainless Steel
Rear Panel : Half Size Mirror
Ceiling : Laser
Floor : Antibacterial PVC
Accessories : Stainless Steel
Handrail : 32 mm Stainless





OLS 150/A



OLS 150/B



OLS 150/C



OLS 150/D



OLS 149

Özellikler

Yan Duvarlar : Satine Paslanmaz
Arka Duvar : Cam
Tavan : Lazer Tavan Taban :
Granit
Aksesuar : Ayna Paslanmaz
Küpeşte : Paslanmaz

Specifications

Side Panels : Stainless Steel
Rear Panel : Glass
Ceiling : Laser Floor :
Granite
Accessories : Mirror Stainless
Handrail : Stainless

OLS151

Özellikler

Yan Duvarlar : Paslanmaz
Arka Duvar : Paslanmaz
Tavan : Paslanmaz
Taban : Paslanmaz

Specifications


Side Panels : Stainless Steel
Rear Panel : Stainless Steel
Ceiling : Stainless Steel
Floor : Stainless Steel




Ceiling Types / Tavanlar



OLSTA-101



OLSTA-102



OLSTA-103



OLSTA-104




OLSTA-105




OLSTA-106



OLSTA-107




OLSTA-108



OLSTA-109



OLSTA-110



OLSTA-111



OLSTA-112



OLSTA-113



OLSTA-114



OLSTA-115



OLSTA-116










OLSTA-117




OLSTA-118





Coating / Kaplamalar



OLSPK-001



OLSPK-002



OLSPK-004



OLSPK-004



OLSPK-005



OLSPK-006



OLSPK-007




OLSPK-008



OLSPK-009



OLSPK-010



OLSPK-011



OLSPK-012



OLSPK-013



OLSPK-014



OLSPK-015



OLSPK-016







OLSPK-017



OLSPK-018





Coating / Kaplamalar




OLSPK-031



OLSPK-032




OLSPK-033




OLSPK-034



OLSPK-035



OLSPK-036




OLSPK-037



OLSPK-038



OLSPK-039




OLSPK-040




Suspension / Askı Tipleri


1:1 MR




2:1 MR




2:1 MR




4:1 MR




2:1 MR




1:1 HDR



2:1 MRL




4:1 MRL




2:1 L HDR




1:1 LMRL



1:1 L HDR




2:1 THDR




Automatic Doors / Tam Otomatik Kapılar



Landing Doors / Kat Kapıları



Cabin Doors / Kabin Kapıları



2 Panel Automatic Doors 2
Panel Otomatik Kapılar



Landing Doors / Kat Kapıları



Cabin Doors / Kabin Kapıları



3 Panel Automatic Doors 3
Panel Otomatik Kapılar



Automatic Doors / Tam Otomatik Kapılar



Landing Doors / Kat Kapıları



Cabin Doors / Kabin Kapıları



4 Panel Automatic Doors 4
Panel Otomatik Kapılar



Landing Doors / Kat Kapıları



Cabin Doors / Kabin Kapıları



6 Panel Automatic Doors 6
Panel Otomatik Kapılar



Folding Doors & Swing / Kramer Kapılar ve Yarı Otomatik Kapılar

W Types Folding Car Doors
WTipi Katlanır Kabin Kapıları



D Types Folding Car Doors
D Tipi Katlanır Kabin Kapıları



OLSA-101



OLSA-102



OLSA-110



OLSA-103



OLSA-106



OLSA-111



ANAHTAR TESLİM ÇÖZÜMLER TURN-KEY SOLUTIONS



Geared Motors / Dişlili Motorlar



OLSG-001



OLSG-002



OLSG-003



OLSG-004



OLSG-005



OLSG-006



OLSG-007



OLSG-008



Gearless Motors / Dişlisiz Motorlar



OLSL-001



OLSL-002



OLSL-003



OLSL-004



OLSL-005



OLSL-006



OLSL-007



OLSL-008





OLSCP-101



OLSCP-102



OLSCP-103



OLSCP-105



OLSCP-104

Tahrik Sistemi

- Halatlı
 - Tek Hızlı
 - Çift Hızlı
 - Kademesiz Hızlı
 - Senkron Makine
 - Asenkron Makine
- Hidrolik

Kapı Sistemleri

- Yarı Otomatik
- Tam Otomatik
- Çift Otomatik Kapı

Kurtarıcı Sistemi

- Pano İçine Entegre
- Harici

Kumanda Sistemi

- Basit Kumanda
- Yukarı / Aşağı Toplama
- Çift Buton Toplama
- Grup Kumanda

Kabin ve Kuyu Tesisatı

- Kabin Seri - Kat Seri
- Kabin Seri - Kat Paralel
- Kabin Paralel - Kat Paralel

Kabin Pozisyon Bilgisi

- Manyetik Şalterlerle
- Enkoderli Sistemle

Uygunluk


- EN 81-1/2+A3

Traction System

- Rope System
 - Single Speed
 - Two Speed
 - Speed Controlled
 - Gearless
 - Geared
- Hydraulic



OLSML70S



OLSML65X



OLSARL-300



OLSARL-200



HD-ONE XS

Door Types

- Semi Automatic
- Full Automatic
- Side Selective

Rescue System

- Integrated into Control Panel
- External

Command Type

- Simple Push Button
- Up/Down Collective
- Selective Collective
- Group Operation

Cabin and Landing Installation

- Serial Cabin & Serial Landing
- Serial Cabin & Parallel Landing
- Parallel Cabin & Parallel Landing

Cabin Positioning

- With Magnetic Switches
- With Encoder

Compatibility

- EN81-1/2+A3



ADrive



MEIDEN



Fuji Frenic



LS



Trafo/Transformer



UPS



Direnc/Resistance



Filtre/Filter

Elevator Buttons / Asansör Butonları



OLSCB-01



OLSCB-02



OLSCB-03



OLSCB-04



OLSCB-05



OLSCB-06



OLSCB-07



OLSCB-08



OLSCB-09



Elevator Buttons / Asansör Butonları



OLSLB-01



OLSLB-02



OLSLB-03



OLSLB-04



OLSLB-05



OLSLB-06



OLSLB-07



OLSLB-08



OLSLB-09



OLSLB-10



OLSLB-11



OLSLB-12



OLSLB-13



OLSLB-14



OLSLB-15



Cables /Kablolar

Esnek Yıssı Asansör Kablosu
Flat Flexible Cables

Esnek Yıssı Asansör Kablosu
Flat Flexible Cables

Diafon Kablosu / Diafon
Cables

Damar Kesiti - Kesit Number Of Cores And Section	Yaklaşık Dış Çapı Core Diameter	Bakır Ağırlığı Copper Weight	Yaklaşık Ağırlık Approximate Weight	Sevk Uzunluğu Delivery Length
n x mm ²	mm	kg/km	kg/km	m
4 x 0,25	4,30	9,6	26,2	100 / 500 / 1000
8 x 0,25	6,20	19,2	49,2	100 / 500 / 1000
12 x 0,25	7,00	28,8	67,0	100 / 500 / 1000
13 x 0,25	7,10	31,2	71,15	100 / 500 / 1000

NYA Kablosu / NYA Cables

NYAF Kablosu / NYAF Cables

Damar Kesiti Number Of Cores And Section	Yaklaşık Dış Çapı Core Diameter	70 C'de En Düşük Yalıtım Direnci Min. Insulation Resistans at 70 C
mm ²	mm	mcikm / km
0,50	2,00	0,014
0,75	2,20	0,013
1	2,30	0,011
1,5	2,80	0,011
2,5	3,40	0,010
4	3,80	0,0087
6	4,30	0,0074
10	5,50	0,0072

Damar Kesiti Number Of Cores And Section	Yaklaşık Dış Çapı Core Diameter	70 C'de En Düşük Yalıtım Direnci Min. Insulation Resistans at 70 C
mm ²	mm	mcikm / km
0,50	2,10	0,014
0,75	2,30	0,012
1	2,50	0,011
1,5	2,90	0,010
2,5	3,50	0,0095
4	4,35	0,0078
6	4,80	0,0068
10	6,20	0,0065



Ropes and Guide Rails/Halatlar ve Kılavuz Raylar

RAYLAR/GUIDE RAILS



Cold Drawn Guide Rails

T50 / A - 50*50*5
T70 / A - 70*65*9
T82 / A - 82*68*9
T89 / A - 89*62*16
T90 / A - 90*75*16

Machined Guide Rails

T70 / B - 70*65*9
T75 / B - 75*62*10
T89 / B - 89*62*16
T90 / B - 90*75*16
T114 / B - 114*89*16
T125 / B - 125*82*16
T127-2 / B - 127*89*16



Fishplates/Flanş



Brackcets/Konsollar




Anchor bolt / Dübel




T-Clips/Tırnaklar


ROPES/HALATLAR



6 mm elevator ropes
6,5 mm elevator ropes
8 mm elevator ropes



10 mm elevator ropes
11 mm elevator ropes
12 mm elevator ropes
13 mm elevator ropes



Rope Attachments/Halat Şişesi



Rope Clips / Halat Klemensi



Compensation Chain / Denge Zinciri



Rope Holder/Halat Tutucu




Chain Pulley/Zincir Makarası

Components / Parçalar



OLSP-001



OLSP-002



OLSP-003



OLSP-004



OLSP-005



OLSP-006



OLSP-007



OLSP-008



OLSP-009



OLSP-010



OLSP-011



OLSP-012





OLSP-013



OLSP-014



OLSP-015



OLSP-016



OLSP-017



OLSP-018



OLSP-019



OLSP-020



OLSP-021



OLSP-022



OLSP-023



OLSP-024



Components / Parçalar



OLSP-025



OLSP-026



OLSP-027



OLSP-028



OLSP-029



OLSP-030



OLSP-031



OLSP-032



OLSP-033



OLSP-034



OLSP-035



OLSP-036





OLSP-037



OLSP-038



OLSP-039



OLSP-040



OLSP-041



OLSP-042



OLSP-043



OLSP-044



OLSP-045



OLSP-046




OLSP-047



OLSP-048

Dumbwaiters / Servis Asansörleri



Açıklama

Montaj asansörleri 0,15 m/sn. ile 0,50 m/sn. arasında yapılırlar. Genellikle otel, restaurant ve villalarda mutfaktan yemek, tepsi ve bardak taşıyabilmek için uygulanırlar. Montaj asansörleri aslında küçük birer yük asansörleridir. Bu asansörler 40 kg'dan 250 kg kapasiteye kadar yapılabilirler. Montaj asansörlerde de hijyen önemli olduğundan paslanmaz çelik kabin ve kapılar tercih edilir. Yemek asansörlerinin rahat kullanımı için dilediğiniz şekilde içlerine raf yaptırabilirsiniz. Bu şekilde alandan daha çok faydalanırsınız. Bu da dolayısıyla zamandan ve enerjiden tasarruf etmenizi sağlar.

Description

With loading at serving height and load carrying capacities up to 500kg, the standard our Service Lifts cover most food transport applications. To satisfy hygiene demands, Stainless steel shelves and floors are supplied as standard. Other stainless steel surface finishes are available as an option. A special seamless hygienic car is available as an option for more rigorous requirements. Car protection is an important consideration when moving food as are the optional heated compartments. Automatic "hands free" doors are available as an option on this range of lifts. A bottom drive variant is available for applications where low headroom is a problem.

Servis Asansörü / Dumbwaiter Lifts

KULLANIM / USAGE	Bar, Restoran, Villa ve Hastaneler / Bars, Restaurants, Villas and Hospitals
KAPASİTE / RATED LOADS (KG)	40 - 500
MAKİNE DAİRESİ / MACHINE ROOM	Yukarı veya Yanda / Above or to side
SEYİR MESAFESİ / MAXIMUM TRAVEL	Tamburla 20m, Kasnakla 60m / 20m with Drum, 60m with Pulley
DURAK SAYISI / MAXIMUM STOPS	20
BEYAN HIZI / CAR SPEED (M/S)	0.15-0,50
TAHRİK ŞEKLİ / DRIVE TYPE	Tek hızlı / Traction drive



Geared Traction Elevators / Makine Daireli Asansörler



Açıklama

Standartlara uygun olarak tesis edilecek olan, bir makina motor grubu veya senkron motor grubu tarafında tahrik edilen asansörler genel anlamda elektrikli asansörler olarak adlandırılır. Elektrikli asansörler; tahrik kasağı aracılığıyla sürtünme ile, tahrikli tambur aracılığı ile, tahrikli ve zincir ile tahrikli asansör olarak altı sınıflara ayrılabilir. Genel anlamda yapılarında kullanılan asansörler tahrik kasağı aracılığı ile sürtünme ile tahrikli asansörlerdir. Bu açıdan tambur aracılığı ile ve zincir ile tahrikli asansörler, kullanım azlığından dolayı göz önünde bulundurulmamıştır. Genel olarak aynı özellikleri taşımalarına rağmen tahrik sisteminin asansör kuyusunda veya ayrıca oluşturulan makina dairesinde bulunması bu sınıflandırmaya neden olmuştur.

Description


The development of the electronic driving of lift motors VVVF together with the demand for long travels, brought the classic traction lift again to the market. Following a policy of qualitative choices, a complete range of traction lift packages is offered, satisfying all kinds of applications.

Elektrik Tahrikli Asansörü / Geared Traction Elevators

KULLANIM / USAGE	Villa, Panoramik, Yolcu, Özürlü, Hastane, Arça ve Yük Asansörleri Villa, Panoramic, Passenger, Disabled, Hospital, Car, Freight Elevators
KAPASİTE / RATED LOADS (KG)	320 Kg. - 5000 Kg.
MAKİNE DİRESİ / MACHINE ROOM	Yukarı, Yanı ve Aşağı / Top, Side, Bottom
SEYİR MESAFESİ / MAXIMUM TRAVEL	70m
DURAK SAYISI / MAXIMUM STOPS	24
BEYAN HIZI / CAR SPEED (M/S)	3,2 m/s
MOTOR TİPİ / MOTOR TYPE	Dişli: (VVVF ve Çift Hız) / Geared (VVVF, 2A)
KUYU DİBİ / PIT DEPTH (MINIMUM)	1400
ÜST BİREK / HEADROOM (MINIMUM)	3600
GİRİŞ SAYISI / MAXIMUM CAR ENTRANCES	2



Gearless - MRL Elevators / Makine Dairesiz - Dişlisiz Asansörler



Açıklama

Makine dairesiz asansörlerimizin, 24 kata kadar olan binalarda, 2500 kg. kapasiteye ve 2.00 m/sn hıza kadar, tesis edilebilme imkanı vardır. Makine dairesiz yüksek kapasiteli asansörler özellikle yolcu terminalleri, çok katlı mağazalar, alışveriş merkezleri ile eğitim, kültür ve sağlık kuruluşları için uygun bir çözüm oluşturmaktadır. Geleneksel motorlara göre % 40'a varan enerji tasarrufunun yanı sıra, dişli kutusunun olmaması nedeniyle yıpranma son derece az olmaktadır. Sistemin yağsız olması çevre kirliliği ve yangın tehlikesini tamamen ortadan kaldırmaktadır. VVVF kontrolü ise son derece sessiz ve konforlu bir seyir sağlarken, düşük motor devri de sistemin sistemin güvenliğini en üst düzeye çıkartmaktadır.

Description

Our Traction Machine Roomless (MRL) solution for rated loads up to 2500 kg. It is equipped with a premium quality gearless motor and a state of the art inverter that lead to an outstanding ride quality, eliminate noise and achieve very low energy consumption. Furthermore, all lift components are cleverly designed to achieve efficient use of space inside the shaft as well as ease of installation and maintenance.

MRL Asansör Özellikleri / MRL Lifts Specification

KULLANIM / USAGE	Villa, Panoramik, Yolcu, Özürlü, Hastane, Arça ve Yük Asansörleri Villa, Panoramic, Passenger, Disabled, Hospital, Car, Freight Elevators
KAPASİTE / RATED LOADS (PERSONS/KG)	320 Kg. - 2500 Kg.
SEYİR MESAFESİ / MAXIMUM TRAVEL	100 m
DURAK SAYISI / MAXIMUM STOPS	33
BEYAN HIZI / CAR SPEED (M/S)	2.50 m/s
MOTOR TİPİ / MOTOR TYPE	Gearless VVVF
KUYU DİBİ / PIT DEPTH (MINIMUM)	1300 mm (150 mm)
ÜST BOŞLUK / HEADROOM (MINIMUM)	3600 (2700 mm)
GİRİŞ SAYISI / MAXIMUM CAR ENTRANCES	3



Hydraulic Elevators / Hidrolik Asansörler

Açıklama


- 1,2 m/s azami hız, açık ara en sessiz hidrolik sistem
- Smooth Start / Smooth Stop, ekstra yumuşak duruş/kalkış
- Full elektronik valfli hassas ve mutlak kontrol
- 1,5 – 4,5 KW monofaze hidrolik tanklar
- 2,7 – 75 kW trifaze hidrolik tanklar
- 8 – 650 l/dak pompa sistemleri
- Maxi c, uzun ömürlü valf sistemleri
- 50 – 280 mm pistonlar
- 2 ve 3 kademeli teleskopik pistonlar
- Yandan 1/1 – 2/1 tek veya çift piston sistemler
- Alttan direkt etkili sistemler
- 2 veya 3 noktadan bölünmüş eklenebilir pistonlar
- “CE”belgeli orijinal Karkaslar

Description


- 1.2 m/s maximum speed, the most quiet hydraulic system
- Smooth Start/Stop Smooth, extrasoft stop/start
- Sensitive and absolute full electronic valve control
- 1,5-4,5 KW single phase hydraulic tanks
- 2.7 to 75 kW three-phase hydraulic tanks
- 8-650 l/min pump systems
- Maxi coil, long-lasting valve systems
- 50-280 mm pistons
- 2 and 3-stage telescopic cylinders
- Side 1/1 - 2/1 for single or double piston system
- Bottom of the direct-acting systems
- 2 or 3 points that can be added to split from the pistons
- “CE”certified original Carcasses

Hidrolik Asansörler / Hydraulic Elevators

KULLANIM / USAGE	illa, Panoramik, Yolcu, Özürlü, Hastane, Arça ve Yük Asansörleri Villa, Panoramic, Passenger, Disabled, Hospital, Car, Freight Elevators
KAPASİTE / RATED LOADS (PERSONS/KG)	200 Kg. - 10.000 Kg.
DURAK SAYISI / MAXIMUM STOPS	28 m
BEYAN HIZI / CAR SPEED (M/S)	0.63
MOTOR TİPİ / MOTOR TYPE	Hidrolik Tahrikli / Hydraulic Electronic
KUYU DİBİ / PIT DEPTH (MINIMUM)	1400 (500)
ÜST BOŞLUK / HEADROOM (MINIMUM)	3600 (2500)
GİRİŞ SAYISI / MAXIMUM CAR ENTRANCES	3



Escalators / Yürüyen merdivenler



SAFETY

The SRL range of escalators and moving walkways goes that one step further in terms of technology, efficiency and adaptability. A wide range of possibilities ensures that each choice fits perfectly, no matter what the specifics of each case may be.

ADAPTABILITY

Each design is assessed as a whole, which allows us to combine different lift solutions, complementing each other to perfection. A team vision which also applies to the overall development of the design.

ESCALATORS		
TYPES	Comercial	Heavy Duty
Installation	Indoor/Outdoor (*)	
Working hours (hours per day)	16 hours	20-24 hours
Capacity (persons per hour)	Up to 7300	
Inclination (°)	30° / 35°	
Speed (m/s)	0.5 / 0.65	
Width of tread (mm)	600/800/1 000	
Vertical rise (m)	2.0 m to 7.5 m	2.0m to 12 m
Motor Type	One Speed-VVVF	

EFFICIENCY

Our range includes options which can support very high levels of traffic, offering optimum performance in extremely demanding conditions such as those at an airport or metro station.


RELIABILITY

The SRL range is backed up by a team of experts who work on each stage of the design development and on the subsequent performance of the product, even from the design of each model.

MOVING WALKWAYS			
TYPES	Trolley		Long way
			
Installation	Indoor/Outdoor (*)		
Working hours (hours per day)	6 hours		
Capacity (persons per hour)	Up to 6000		
Inclination (°)	°/12°		6°
Speed (m/s)	10° / 11	0.5	0° /
Width of tread (mm)	800/1000		1000/1200/1400
Vertical rise (m)	2m-8m		0-8m
Motor Type	One Speed-VVVF		



Parking and Disabled Lifts/ Park ve Engelli Asansörleri







Merkez Mh. Değirmenbahçe Cd.
İstWest A1A Blok K:7 D:81
Yenibosna / İSTANBUL



Gsm: +90 532 161 23 30
Tel:+90 212 451 54 38
Fax:+90 212 451 54 37



www.olslift.com.tr



Kağıttest
ISO 9001:2008

