



www.nidapack.com


Fully Automatic Over-wrapping Machine

آلات تغليف أوتوماتيكية

Tam Otomatik Zarf Tipi Paketleme Makinaları

 **Nida
Pack**





NP-series machines can be used in a wide range of industries.
some examples of products we can over-wrap:



Fully Automatic Over-wrapping Machine

آلات تغليف أوتوماتيكية

Tam Otomatik Zarf Tipi Paketleme Makinaları

Nidapack is a Multi-national company. From our head office in Istanbul, Turkey, we coordinate all our national and international activities. We have a Marketing Team as an international network of agents worldwide, we provide after-sales care and support.

Nidapack built its expertise in designing and producing bundling, over-wrapping, horizontal packaging machines. Our packaging machines are used in a wide range of industries. Cosmetics/perfumery, pharmaceutical, stationery, tea & coffee, confectionery, tobacco, and processing industry.

With over 15 years of experience and a team of highly qualified professionals, Nidapack is a leading company in its field. We value our relationship with our customers above all else.

Applying creative and innovative solutions. Nidapack responded successfully to the ever-growing demands of the market using advanced design and manufacturing technologies. We are always looking to adding new industries and new challenges.

With over 15 years of experience and supplying thousands of standard and custom-designed solutions, Nida Pack is continuously improving new standards in overwrapping and banding technology.

Our main products include semi-automatic and fully automatic over-wrapping, and horizontal packaging machines.

Thank you for your interest in our machines.

General Manager
E. Mustafa Eleivi
0090 535 235 90 13

www.nidapack.com

شركة نداء لتصنيع آلات التغليف ذات فريق عمل متعدد الجنسيات.
تدبر الشركة مبيعاتها المحلية والعالمية من مقرها الأساسي في
تركيا-إسطنبول. فريق التسويق لدى الشركة عبارة عن شبكة من
العملاء في مدن متعددة حول العالم.

شركة نداء لتصنيع آلات التغليف متخصصة في مجال تصميم
وتصنيع آلات التغليف لمنتجات مفردة أو بشكل مجموعة. آلات
التغليف التي نصنعها هي المرحلة الأخيرة في عملية الإنتاج
في العديد من الصناعات. صناعة العطور ومستحضرات التجميل
والصناعات الدوائية وصناعات الحلويات وصناعة التبغ و
الصناعات الغذائية.

تمتلك الشركة خبرة أكثر من 15 عام ولديها فريق مؤهل بشكل
متقدم علمياً وعملياً ليجعل منها شركة رائدة في مجال التغليف.
نسعى دائماً لتطوير علاقاتنا مع زبائننا لتقديم أفضل الحلول
الهندسية والإبداعية في مجال التغليف. تستخدم الشركة تقنيات
تصميم وتشغيل متقدمة لتوابع بشكل ناجح التطور المستمر
لمتطلبات سوق العمل المتعددة. شركتنا تسعى لتطوير كادرها
باستمرار ليتمكن أفضل التقنيات الحديثة في الصناعة.

إن التطوير المستمر للشركة في مجال تقنيات التغليف وتطبيق
أفضل الحلول التصميمية هندسياً وتنفيذها يكسبها خبرة واسعة و
مرنة في تطوير الآلات لتناسب متطلبات زبائننا.

منتجات الشركة الأساسية هي آلات التغليف الأوتوماتيكية
والنصف أوتوماتيكية. آلات التغليف الأفقي (فلاوك).

شكراً لاهتمامكم بآلاتنا

المدير العام

م. مصطفى عليوي

0090 535 235 90 13

NP-50

Semi Automatic Over-Wrapping Machine

آلة تغليف نصف أوتوماتيكية

Yarı Otomatik Paketleme Makinası



NP-50 is a versatile overwrapping machine that is used for products with various sizes. The wrapping film is feeded by a servo motor. The film length easily is changed from the PLC screen (siemens). The nife cuts the film is controlled by a piston. After wrapping the film around the product it can be sealed manually on the sealer. The wrapped product should be located in the pusher. Once the worker makes sure his safe he can press on a pedal to feed the product to the folding section in order to seal the sides.



Servo driven, PLC siemens, easily parts change and quickly film loading make the machine flexible and fast in changing between products which vary in sizes. NP-50 is generally used for box shaped products such as: Perfumes & Cosmetics, Tea & Coffee, Pharmaceutical & Healthcare, Soap, Confectionery & Sweets, Tobacco & Cigarettes, Paper & Converted Products and Food Products.

آلة التغليف موديل (NP-50) هي آلة تغليف تستخدم في حال وجود عدد كبير من المنتجات وبأحجام مختلفة. يتم التحكم في طول ورق التغليف من شاشة PLC بواسطة محرك سيرفو. بعدها تتم عملية قص الورق من خلال التحكم في سكين القص عن طريق مكبس. مرحلة لف الورق حول المنتج ولحامه بواسطة السخان السفلي تتم يدويا. بعدها يتم وضع المنتج في مكان التغذية الآلية لعملية لف الجوانب ولحامها.


تتميز الآلة بوجود شاشة تحكم PLC siemens ومحرك سيرفو ياباني الصنع وسهولة فك وتركيب ورق التغليف مما يعطي أهمية لآلية في الصناعات التي تعتمد على تغليف المنتجات بأحجام ومقاسات متعددة.

آلة التغليف موديل (NP-50) تستخدم بشكل عام في تغليف المنتجات بشكل صندوق (متوازي مستطيلات) في: صناعات العطور ومواد التجميل و الشاي والقهوة و الصناعات الطبية و الصابون و الحلويات و التبغ و علب السجائر و الصناعات الورقية والكتب والصناعات الغذائية.

■ TECHNICAL DRAWINGS / TEKNİK ÇİZİMLER




■ TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER



	Length [L] Uzunluk mm	Width [W] Genişlik mm	Height [H] Yükseklik mm	Out Put Speed Kapasite PPM	Power Güç kW	Weight Ağırlık kg
Min	30	30	30	10-15	1	350
Max	300	150	100			

*Modifications in one dimension may limit the size range in the other dimensions or affect the machine output




Fully Automatic Over-Wrapping Machine

آلہ تغليف اوتوماتیکیہ

Tam Otomatik Paketleme Makinası



■ TECHNICAL DRAWINGS / TEKNİK ÇİZİMLER



NP-100 is a fully automatic overwrapping machine capable of wrapping speeds of up to 50 packs per minute. NP-100 is designed specially for the packaging of single, as well as bundles, at medium to higher speeds. The wrapping film is feeded in a specific size. The film length easily is changed from the PLC screen (siemens). The nife cuts the film. After wrapping the film around the product it will be sealed by the front sealer. The wrapped product is located in the folding section in order to fold and seal the sides. The whole proceder is done automatically without any effort from the human.


With a PLC control system and HMI, quick change tooling, mechanical enhancements enable a wide range of applications and combine to offer a highly flexible and efficient production machine. NP-100 is generally used for the packaging of single, as well as bundles of box shaped products such as: Perfumes & Cosmetics, Tea & Coffee, Pharmaceutical & Healthcare, Soap, Confectionery & Sweets, Tobacco & Cigarettes and Food Products.

آلہ التغليف مودیل (NP-100) ہے آلہ تغليف اوتوماتیکیہ بالکامل وتعمل بسرعه تغليف تصل حتی 50 منتج في الدقيقة. الالة مصممة بحيث يمكن تشغيلها بسرعات مرتفعة أو منخفضة حسب رغبة الزبون ويمكن من خلال نفس الالة تغليف المنتجات بما يشكل إفرادي أو على شكل مجموعات. مبدأ عمل الالة: بعد ضبط الالة وتحديد طول ورق التغليف من شاشة (PLC siemens) يتم قص الورق ولفه حول المنتج ووضع المنتج آليا في مجموعة لف جوانب الورق ولحامها.

تعتبر هذه الآلة من الآلات ذات الإنتاجية المرتفعة وتتميز بسهولة التشغيل بسبب القدرة على ضبط الآلة من شاشة التحكم وسهولة فك وتركيب الأجزاء الميكانيكية والقدرة على تغليف منتجات بمقاسات وأحجام متعددة على نفس الآلة.


آلہ التغليف مودیل (NP-100) تستخدم بشكل عام في تغليف المنتجات بشكل صندوق (متوازي مستطيلات) في: صناعات العطور ومواد التجميل والشاي والقهوة و الصناعات الطبية و الصابون و الحلويات و التبغ و علب السجائر و الصناعات الورقية والكتب والصناعات الغذائية.

■ TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER



	Length [L] Uzunluk	Width [W] Genişlik	Height [H] Yükseklik	Out Put Speed Kapasite	Power Güç	Weight Ağırlık kg
Min	30	30	30	40-50	3,5	
Max	300	170	100			

*Modifications in one dimension may limit the size range in the other dimensions or affect the machine output



Fully Automatic Over-Wrapping Machine (servo system)

آلية تغليف أوتوماتيكية (نظام سيرفو)

Tam Otomatik Paketleme Makinası (servolu)



NP-110 is a fully automatic overwrapping machine capable of wrapping speeds of up to 30 packs per minute. **NP-110** is designed specially for the packaging of single huge products at medium speeds. The wrapping film is feeded in a specific size. The film length easily is changed from the PLC screen (siemens). The nife cuts the film. After wrapping the film around the product it will be sealed by the front sealer. The wrapped product is located in the folding section in order to fold and seal the sides. The whole proceder is done automatically without any effort from the human.

With a PLC control and servo operation system and HMI, Fast and simple size changeover, mechanical enhancements enable a wide range of applications and combine to offer a highly flexible and efficient production machine. **NP-110** is generally used for the packaging of single box shaped products (huge size) such as: Perfumes & Cosmetics, Tea & Coffee, Pharmaceutical & Healthcare, Soap, Confectionery & Sweets, Tobacco & Cigarettes and Food Products.


آلية التغليف موديل (NP-110) هي آلية تغليف أوتوماتيكية بالكامل وتعمل بسرعة تغليف تصل حتى 30 منتج في الدقيقة. الآلة مصممة لتغليف المنتجات ذات الأحجام الكبيرة. يمكن تشغيل الآلة بسرعات متوسطة أو وفق رغبة الزبون.

مبدأ عمل الآلة: بعد ضبط الآلة وتحديد طول ورق التغليف من شاشة (PLC) (siemens) يتم قص الورق ولفه حول المنتج ووضع المنتج آلياً في مجموعة لف جوانب الورق ولامها.


تعتبر هذه الآلة من الآلات ذات الإنتاجية المتوسطة وتتميز بسهولة التشغيل بسبب القدرة على ضبط الآلة من شاشة التحكم وسهولة فك وتركيب الأجزاء الميكانيكية والقدرة على تغليف منتجات بمقاسات وأحجام متعددة على نفس الآلة.

آلية التغليف موديل (NP-110) تستخدم بشكل عام في تغليف المنتجات الكبيرة بشكل صندوق (متوازي مستطيلات) في: صناعات العطارة ومواد التجميل والشاي والقهوة و الصناعات الطبية و الصابون و الحلويات و التبغ و علب السجائر و الصناعات الورقية و الكتب والصناعات الغذائية.

■ TECHNICAL DRAWINGS / TEKNİK ÇİZİMLER




■ TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER



	Length [L] Uzunluk mm	Width [W] Genişlik mm	Height [H] Yükseklik mm	Out Put Speed Kapasite PPM	Power Güç kW	Weight Ağırlık kg
Min	30	30	30	20-30	3,5	950
Max	300	170	100			

*Modifications in one dimension may limit the size range in the other dimensions or affect the machine output



Fully Automatic Over-Wrapping Machine

آلہ تغییف اوتوماتیکیہ

Tam Otomatik Paketleme Makinası




NP-130 is a fully automatic overwrapping machine that is designed specially for the packaging of single, as well as bundles, at medium to higher speeds. The wrapping film is feeded in a specific size. The film length easily is changed from the PLC screen (siemens). The nife cuts the film. After wrapping the film around the product it will be sealed by the front sealer. The wrapped product is located in the folding section in order to fold and seal the sides. The whole proceder is done automatically without any effort from the human.


Servo driven, PLC siemens, easily parts change and quickly film loading make the machine flexible and fast in changing between products which vary in sizes. It creates the right solution for any packaging challenge. **NP-130** is used specially for the packaging of bundles, at medium to higher speeds of box shaped products such as: Perfumes & Cosmetics, Tea & Coffee, Pharmaceutical & Healthcare, Soap, Confectionery & Sweets, Tobacco & Cigarettes, Paper & Converted Products and Food Products.

آلہ تغییف مودیل (NP-130) ہے آلہ تغییف اوتوماتیکیہ بالکامل وتعمل بسرعہ تغییف تصل حتی 40 منتج فی الدقيقة. الہہ مصممة بحيث يمكن تشغیلها بسرعات مرتفعة أو منخفضة حسب رغبة الزبون ويمكن من خلال نفس الہہ تغییف المنتجات (ما يشكل إفرادي أو على شکل مجموعات. مبدأ عمل الہہ: بعد ضبط الہہ وتحديد طول ورق التغییف من شاشة (PLC siemens) يتم قص الورق ولفه حول المنتج ووضع المنتج آليا في مجموعة لف جوانب الورق ولحامها.

تعتبر هذه الہہ من الالات ذات الالكترونيات المتقدمة وتتميز بسهولة التشغيل بسبب القدرة على ضبط الہہ من شاشة التحكم وسهولة فك وتركيب الأجزاء الميكانيكية والقدرة على تغییف منتجات بمقاسات وأحجام متعددة على نفس الہہ. آلہ تغییف مودیل (NP-130) تستخدم بشكل عام في تغییف المنتجات بشكل طبقات فوق بعضها البعض (طبقة فاکٹر) في: صناعات العطور ومواد التجميل و الشاي والقهوة و الصناعات الطبية و الصابون و الحلويات و التبغ و علب السجائر و الصناعات الورقية والكتب والصناعات الغذائية.



■ TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER



	Length [L] Uzunluk mm	Width [W] Genişlik mm	Height [H] Yükseklik mm	Out Put Speed Kapasite PPM	Power Güç kW	Weight Ağırlık kg
Min	30	30	30	30-40		
Max	250	150	100		3,5	950


*Modifications in one dimension may limit the size range in the other dimensions or affect the machine output



Fully Automatic Over-Wrapping Machine (double layer)

آلية تغليف أوتوماتيكية (تغليف مزدوج)

Tam Otomatik Paketleme Makinası (kartonlu)



NP-140 is a fully automatic overwrapping machine that is designed specially for the packaging of biscuit bundles, at medium to higher speeds.

The wrapping film is feeded in a specific size. The film length easily is changed from the PLC screen (siemens). The knife cuts the film. After wrapping the film around the product it will be sealed by the front sealer. The wrapped product is located in the folding section in order to fold and seal the sides. The whole procedure is done automatically without any effort from the human.

Servo driven, PLC siemens, easily parts change and quickly film loading make the machine flexible and fast in changing between products which vary in sizes. It creates the right solution for any packaging challenge. **NP-140** is used specially for the packaging of biscuit, at medium to higher speeds of square or circular shaped products.


آلية التغليف موديل (NP-140) هي آلية تغليف أوتوماتيكية بالكامل وتعمل بسرعة تغليف تصل حتى 40 منتج في الدقيقة. الآلة مصممة بحيث يمكن تشغيلها بسرعات مرتفعة أو منخفضة حسب رغبة الزبون ويمكن من خلال نفس الآلة تغليف المنتجات (ما يشكل إفرادي أو على شكل مجموعات).

مبدأ عمل الآلة: بعد ضبط الآلة وتحديد طول ورق التغليف من شاشة (PLC) (siemens) يتم قص الورق ولفه حول المنتج ووضع المنتج آلياً في مجموعة لف جوانب الورق ولحامها.


تعتبر هذه الآلة من الآلات ذات الإنتاجية المرتفعة وتتميز بسهولة التشغيل بسبب القدرة على ضبط الآلة من شاشة التحكم وسهولة فك وتركيب الأجزاء الميكانيكية والقدرة على تغليف منتجات بمقاسات وأحجام متعددة على نفس الآلة.

آلية التغليف موديل (NP-140) تستخدم بشكل عام في تغليف المنتجات بشكل مزدوج (طبقة كرتون داخلية وطبقة ورق تغليف خارجية) في: صناعة البسكويت

■ TECHNICAL DRAWINGS / TEKNİK ÇİZİMLER



■ TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER



	Length [L] Uzunluk mm	Width [W] Genişlik mm	Height [H] Yükseklik mm	Out Put Speed Kapasite PPM	Power Güç kW	Weight Ağırlık kg
Min	30	30	30			
Max	250	150	100	30-40	3,5	950

*Modifications in one dimension may limit the size range in the other dimensions or affect the machine output




Fully Automatic Over-Wrapping Machine

آلہ تغییف اوتوماتیکیہ


Tam Otomatik Paketleme Makinası



■ TECHNICAL DRAWINGS / TEKNİK ÇİZİMLER



■ TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER



	Length [L] Uzunluk mm	Width [W] Genişlik mm	Height [H] Yükseklik mm	Out Put Speed Kapasite PPM	Power Güç kW	Weight Ağırlık kg
Min	30	30	30	30-40	3,5	950
Max	250	150	100			

*Modifications in one dimension may limit the size range in the other dimensions or affect the machine output



NP-150 is a fully automatic overwrapping machine that is designed specially for the packaging of single, as well as bundles, at medium to higher speeds. The wrapping film is feeded in a specific size. The film length easily is changed from the PLC screen (siemens). The knife cuts the film. After wrapping the film around the product it will be sealed by the front sealer. The wrapped product is located in the folding section in order to fold and seal the sides. The whole procedure is done automatically without any effort from the human.

Servo driven, PLC siemens, easily parts change and quickly film loading make the machine flexible and fast in changing between products which vary in sizes. It creates the right solution for any packaging challenge. **NP-150** is generally used specially for the packaging of single, as well as bundles, at medium to higher speeds of box shaped products such as: Perfumes & Cosmetics, Tea & Coffee, Pharmaceutical & Healthcare, Soap, Confectionery & Sweets, Tobacco & Cigarettes, Paper & Converted Products and Food Products.

آلہ تغییف مودیل (NP-150) ہے آلہ تغییف اوتوماتیکیہ بالکامل وتعمل بسرعۃ تغییف تصل حتی 40 منتج فی الدقيقة. الالہ مصممة بحيث يمكن تشغیلها بسرعات مرتفعة أو منخفضة حسب رغبة الزبون ويمكن من خلال نفس الالہ تغییف المنتجات إما بشكل إفرادي أو على شكل مجموعات.

مبدأ عمل الالہ: بعد ضبط الالہ وتحديد طول ورق التغییف من شاشة (PLC siemens) يتم قص الورق ولفه حول المنتج ووضع المنتج اليا في مجموعة لف جوانب الورق ولحامها.


تعتبر هذه الالہ من الالات ذات الابتكار المرتفعة وتتميز بسهولة التشغيل بسبب القدرة على ضبط الالہ من شاشة التحكم وسهولة فك وتركيب الأجزاء الميكانيكية والقدرة على تغییف منتجات بمقاسات وأحجام متعددة على نفس الالہ. آلہ تغییف مودیل (NP-150) تستعمل بشكل عام في تغییف المنتجات إما بشكل إفرادي أو على شكل مجموعات كما في الصناعات الطبية والصابون والحلويات والتبغ وعلب السجائر و الصناعات الورقية والكتب والصناعات الغذائية وصناعات العطور ومواد التجميل و الشاي والقهوة.



Horizontal Flow Wrapping Machine (servo system)

آلية تغليف أفقية (فلوباك) (نظام سيرفو)

Yatay Paketleme Makinası (servolu)



NP-200 is all electronic, robust and simple to operate. It offers excellent solutions for all industry sectors, including automatic and manual supply lines. Flow wrapping which is also known as fin seal wrapping and horizontal bagging, is the process of wrapping a product in a clear or printed polypropylene film. The end result is a flexible package with a crimped top and bottom seal.

NP-200 Horizontal Flow Wrapping machine product range caters for a variety of speeds and application requirements. **NP-200** speeds from 50 ppm up to 100 in modified atmosphere. Flow Wrapping solutions for irregular shaped items have various speeds. **NP-200** is generally used for the packaging of single, as well as bundles of products.


All kinds of food products can be flow wrapped; non-food products include such things as Perfumes & Cosmetics, Pharmaceutical & Healthcare, Soap, Leaflets, Booklets, Scratch cards, Electrical and Computer hardware.

تتميز آلة التغليف موديل (NP-200) ببساطتها وقوتها أدانها وجودة أنظمنتها الإلكترونية. تعتبر حل مثالي لتنعيف المنتجات في جميع المجالات الصناعية. وتوافق مع أنظمة التقنية الآلية واليدوية.

مبدأ عمل الآلة: بعد ضبط الآلة وتحديد طول ورق التغليف من شاشة (PLC siemens) يتم لف ورق التغليف حول المنتج وقص الورق بواسطة سكين دوارة. تعتبر هذه الآلة من الآلات ذات الإناتجية المرتفعة وتتميز بسهولة التشغيل بسبب القدرة على ضبط الآلة بالكامل من شاشة التحكم والقدرة على تغليف منتجات بمقاسات وأحجام متعددة على نفس الآلة. آلة التغليف موديل (NP-200) تتميز بسهولة ضبط سرعة التغليف بين 50 إلى 100 منتج في الدقيقة.

آلية التغليف موديل (NP-200) تستخدم بشكل عام في تغليف المنتجات بشكل مفرد أو بشكل مجموعة. تستخدم الآلة في تغليف جميع المواد الغذائية وغير الغذائية مثل: صناعات العطور ومواد التجميل و الصناعات الطبية و الصابون و الصناعات الورقية والكتب والأجهزة الإلكترونية والقطع البلاستيكية.

■ TECHNICAL DRAWINGS / TEKNİK ÇİZİMLER



■ TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER

	Length [L] Uzunluk mm	Width [W] Genişlik mm	Height [H] Yükseklik mm	Out Put Speed Kapasite PPM	Power Güç kW	Weight Ağırlık kg
Min	30	30	30	50-100	3,5	800
Max	300	200	100			

*Modifications in one dimension may limit the size range in the other dimensions or affect the machine output





Horizontal Flow Wrapping Machine (Inversed Type)

آلية تغليف أفقية (فلاوباك)


Ters Yatay Paketleme Makinası



■ TECHNICAL DRAWINGS / TEKNİK ÇİZİMLER




■ TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER



	Length [L] Uzunluk mm	Width [W] Genişlik mm	Height [H] Yükseklik mm	Out Put Speed Kapasite PPM	Power Güç kW	Weight Ağırlık kg
Min	30	30	30			
Max	300	200	100	50-100	3,5	800

*Modifications in one dimension may limit the size range in the other dimensions or affect the machine output




NP-300 is all electronic, robust and simple to operate. It offers excellent solutions for all industry sectors, including automatic and manual supply lines. Flow wrapping which is also known as fin seal wrapping and horizontal bagging, is the process of wrapping a product in a clear or printed polypropylene film. The end result is a flexible package with a crimped top and bottom seal.

NP-300 Horizontal Flow Wrapping machine product range caters for a variety of speeds and application requirements. **NP-300** speeds from 50 ppm up to 100 in modified atmosphere. Flow Wrapping solutions for irregular shaped items have various speeds. **NP-300** is generally used for the packaging of single, as well as bundles of products which can not be wrapped by (NP-200). All kinds of food products can be flow wrapped; non-food products include such things as Perfumes & Cosmetics, Pharmaceutical & Healthcare, Soap, Leaflets, Booklets, Scratch cards, Electrical and Computer hardware.

تتميز آلة التغليف موديل (NP-300) ببساطتها وقوتها أدانها وجودة أنظمتها الإلكترونية. تعتبر حل مثالي لتنقيف المنتجات في جميع المجالات الصناعية. وتتوافق مع أنظمة التغذية الآلية والبيووية. مبدأ عمل الآلة: بعد ضبط الآلة وتحديد طول ورق التغليف من شاشة (PLC siemens) يتم لف ورق التغليف حول المنتج وقص الورق بواسطة سكين دوار. تعتبر هذه الآلة من الآلات ذات الإنتاجية المرتفعة وتتميز بسهولة التشغيل بسبب القدرة على ضبط الآلة بالكامل من شاشة التحكم والقدرة على تغليف منتجات بمقاسات وأحجام متعددة على نفس الآلة.

آلة التغليف موديل (NP-300) تتميز بسهولة ضبط سرعة التغليف بين 50 إلى 100 منتج في تستخدم. آلة التغليف موديل (NP-300) تستخدم بشكل عام في تغليف المنتجات التي لا يمكن تغليفها بواسطة (NP-200). تستخدم الآلة في تغليف جميع المواد الغذائية وغير الغذائية مثل: صناعات العطور ومواد التجميل و الصناعات الطبية و الصابون و الصناعات الورقية والكتب والأجهزة الإلكترونية والقطع البلاستيكية.






Horizontal Flow Wrapping Machine (Inversed Type)

آلية تغليف أفقية (تغليف المعسل)

Ters Yatay Paketleme Makinası




■ TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER




	Length [L] Uzunluk mm	Width [W] Genişlik mm	Height [H] Yükseklik mm	Out Put Speed Kapasite PPM	Power Güç kW	Weight Ağırlık kg
Min	30	30	20			
Max	200	100	100	50-100	15	4000

*Modifications in one dimension may limit the size range in the other dimensions or affect the machine output

■ TECHNICAL DRAWINGS / TEKNİK ÇİZİMLER



Horizontal Screw Extrusion System:
It delivers the product in a rectangular section.
From 50 to 1000 gram.



NP-803 WEIGHER
Makes sure the weight of the product in the allowed range.

NP-100
Fully Automatic over-wrapping machine

NP-300
Flow-Pack over wrapping machine (Inversed Type)

NP-700
Automatic Cartoning machine puts the products into the carton automatically: open, load, close and seal cartons.



Horizontal Flow Wrapping Machine (servo system)

آلية تغليف أفقية (فلاوباك) (نظام سيرفو)

Yatay Paketleme Makinası (servolu)



■ TECHNICAL DRAWINGS / TEKNİK ÇİZİMLER



NP-400 is all electronic, robust and simple to operate. It offers excellent solutions for all industry sectors, including automatic and manual supply lines. Flow wrapping which is also known as fin seal wrapping and horizontal bagging, is the process of wrapping a product in a clear or printed polypropylene film. The end result is a flexible package with a crimped top and bottom seal.

NP-400 Horizontal Flow Wrapping machine product range caters for a variety of speeds and application requirements. **NP-400** speeds from 50 ppm up to 100 in modified atmosphere. Flow Wrapping solutions for irregular shaped items have various speeds. **NP-400** is generally used for the packaging of single, as well as bundles of products. All kinds of food products can be flow wrapped; non-food products include such things as Perfumes & Cosmetics, Pharmaceutical & Healthcare, Soap, Leaflets, Booklets, Scratch cards, Electrical and Computer hardware.

تتميز آلة التغليف موديل (NP-400) ببساطتها وقوتها أدانها وجودة أنظمنتها الإلكترونية. تعتبر حل مثالي لتنقيف المنتجات في جميع المجالات الصناعية. وتتوافق مع أنظمة التغذية الآلية واليدوية. مبدأ عمل الآلة: بعد ضبط الآلة وتحديد طول ورق يتم لف ورق التغليف حول المنتج وقص الورق بواسطة سكين دوار. تعتبر هذه الآلة من الآلات ذات الإنتاجية المتوسطة وتتميز بسهولة التشغيل والقدرة على تغليف منتجات بمقاسات وأحجام متعددة على نفس الآلة.

آلة التغليف موديل (NP-400) تتميز بسهولة ضبط سرعة التغليف بين 50 إلى 100 منتج في الدقيقة.



آلة التغليف موديل (NP-400) تستخدم بشكل عام في تغليف المنتجات بشكل مفرد أو بشكل مجموعة. تستخدم الآلة في تغليف جميع المواد الغذائية وغير الغذائية مثل: صناعات العطور ومواد التجميل و الصناعات الطبية و الصابون و الصناعات الورقية والكتب والأجهزة الإلكترونية والقطع البلاستيكية.

■ TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER



	Length [L] Uzunluk	Width [W] Genişlik	Height [H] Yükseklik	Out Put Speed Kapasite	Power Güç	Weight Ağırlık
	mm	mm	mm	PPM	kW	kg
Min	30	30	30	50-100	3,5	800
Max	200	100	80			

*Modifications in one dimension may limit the size range in the other dimensions or affect the machine output









CONTACT / İLETİŞİM / معلومات التواصل

Nidapak Makinaları İthalat İhracat ve Sanayi Ticaret Limited Şirketi
Dudullu O.S.B. İmes Sanayi Sitesi B blok 206 Sk. No:12
Ümraniye / İSTANBUL/TURKEY

 +90(216)4994901  info@nidapack.com
www.nidapack.com



 +90(535)2359013

 +90(538)2888841

English / العربية

Türkçe

