


ESİSAN

ÜRÜN KATALOĞU PRODUCT CATALOGUE





Esisan Makine San. Tic. Ltd. Şti. 2010 yılında kurulmuştur. Başlangıçta ağırlıklı olarak tesisat ve taahhüt projelerine yönelerek başarılı işler gerçekleştirmiştir. Havalandırma tesisatları, klima santralleri, chiller grupları, soğutma kuleleri, paslanmaz konveyör bantlar ve karıştırıcı tanklar gibi mekanik tesisatta endüstriyel mühendislik çözümlerini sunmaya devam etmektedir.

Gösterdiği özveri ve çalışkanlıkla kısa sürede sektör içinde edindiği konumunu, 2011 yılında Atlas Copco ile yaptığı işbirliği ile perçinlemiştir. El tipi kırıcılar ile başlattığı Atlas Copco distribütörlüğü ürün gamını, 2013 yılında mermer makinelerini, İntegral ekipmanlarını ve 2016 yılından itibaren Esisan web sitesindeki tüm makine ve ekipmanları içerecek şekilde genişletmiştir.

Esisan Makine, inşaat sektöründeki konumunu 2018 yılında hafif inşaat makineleri grubunda Palme Makine ile işbirliği yaparak genişletmiş ve sağlamlaştırmıştır. Esisan Makine, inşaat sektöründe edindiği bilgi ve tecrübe ile 2021 yılında hafif inşaat makineleri grubunda üretime başlamıştır. Üretimini yapmakta olduğu; kompaktör, perdah ve derz kesme makinelerinde uzun vadeli çözüm ve yüksek kalite anlayışını benimsemiştir. Gerçekleştirdiği Ar-Ge yatırımları ile ürün yelpazesini gün geçtikçe arttırmaktadır. Bununla birlikte müşterilerin istek ve ihtiyaçları doğrultusunda özel çözümler gerçekleştirebilmektedir.

Esisan Makine 2023 yılı itibari ile 1000 m² kapalı alan, toplam 25 kişiden oluşan mühendis ve teknik kadrosuyla makine ve çözüm üretmeye devam etmektedir. Üretilen makineler CE sertifikalı ve ISO 9001:2015 belgelidir.

ESISAN



Esisan Makine Ind. Trade. Co. Ltd. was established in 2010. In the beginning, the company mainly focused on installation and contracting projects. Successful works are continuing to expand including industrial engineering solutions in mechanical installations such as ventilation installations, air conditioning plants, chiller groups, cooling towers, stainless conveyor belts, and mixer tanks. Owing to dedication and hard work, the position of the company in the sector was strengthened in a short time with the cooperation with Atlas Copco in 2011. The Atlas Copco distributorship product varieties were from hand-held breakers to marble machines and integral equipment in 2013. All machines and equipment can be found on the Esisan website since 2016.

The position of Esisan Makine in the construction sector was expanded and strengthened by cooperating with Palme Makine in the light construction machinery group in 2018. Esisan Makine started production in the light construction machinery group in 2021 with the knowledge and experience gained in the construction sector. The understanding of the long-term solution and high quality have been adopted by Esisan Makine in the compactor, power trowel, and grooving machines the company manufactures. Owing to R&D investments, the company increases its product range day by day. In addition to these, special solutions can be created according to the demands and needs of the customers.

Esisan Makine continues to produce machinery and solutions in a 1000 m² closed area with a total of 25 engineers and technician staff. The produced machines are CE and ISO 9001:2015 certified.



PERDAH MAKİNELERİ POWER TROWEL MACHINES

ESISAN

EP700B

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	750x1700x1035	DIMENSIONS (WxLxH) (mm)	750x1700x1035
AĞIRLIK (kg)	74	WEIGHT (kg)	74
MALA ÇAPI (mm)	685	BLADE DIAMETER (mm)	685
MOTOR	Benzinli - 6,5 HP	ENGINE	Gasoline - 6.5 HP
YAKIT DEPOSU (l)	3,6	FUEL TANK (L)	3.6
YAKIT SARFIYATI (l/saat)	1,7	FUEL CONSUMPTION (L/hour)	1.7

TECHNICAL SPECIFICATIONS



EP900B

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	1000x2050x1040	DIMENSIONS (WxLxH) (mm)	1000x2050x1040
AĞIRLIK (kg)	79	WEIGHT (kg)	79
MALA ÇAPI (mm)	915	BLADE DIAMETER (mm)	915
MOTOR	Benzinli - 6,5HP	ENGINE	Gasoline - 6.5 HP
YAKIT DEPOSU (l)	3,6	FUEL TANK (L)	3.6
YAKIT SARFIYATI (l/saat)	1,7	FUEL CONSUMPTION (L/hour)	1.7

TECHNICAL SPECIFICATIONS



EP1000B

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	1000x2050x1040
AĞIRLIK (kg)	104
MALA ÇAPI (mm)	915
MOTOR	Benzinli - 9 HP
YAKIT DEPOSU (l)	6
YAKIT SARFIYATI (l/saat)	2,4

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	1000x2050x1040
WEIGHT (kg)	104
BLADE DIAMETER (mm)	915
ENGINE	Gasoline - 9 HP
FUEL TANK (L)	6
FUEL CONSUMPTION (L/hour)	2.4



EP1200B

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	1150x2250x1080
AĞIRLIK (kg)	107
MALA ÇAPI (mm)	1070
MOTOR	Benzinli - 9 HP
YAKIT DEPOSU (l)	6
YAKIT SARFIYATI (l/saat)	2,4

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	1150x2250x1080
WEIGHT (kg)	107
BLADE DIAMETER (mm)	1070
ENGINE	Gasoline - 9 HP
FUEL TANK (L)	6
FUEL CONSUMPTION (L/hour)	2.4



EP700E

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	750x1700x1035
AĞIRLIK (kg)	79
MALA ÇAPI (mm)	685
MOTOR	Elektrikli - 380V 2,4- 3,0 kW

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	750x1700x1035
WEIGHT (kg)	79
BLADE DIAMETER (mm)	685
ENGINE	Electrical - 380V 2.4-3.0 kW



EP900E

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	1000x2050x1040
AĞIRLIK (kg)	83
MALA ÇAPI (mm)	915
MOTOR	Elektrikli - 380V 2,4- 3,0 kW

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	1000x2050x1040
WEIGHT (kg)	83
BLADE DIAMETER (mm)	915
ENGINE	Electrical - 380V 2.4-3.0 kW



EP1200E

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	1150x2250x1080
AĞIRLIK (kg)	83
MALA ÇAPI (mm)	915
MOTOR	Elektrikli - 380V 3,7- 4,5 kW

TECHNICAL SPECIFICATIONS

DIMENSIONS (WxLxH) (mm)	1150x2250x1080
WEIGHT (kg)	83
BLADE DIAMETER (mm)	915
ENGINE	Electrical - 380V 3.7- 4.5 kW



ZEMİN SIKIŞTIRMA MAKİNELERİ COMPACTION GROUP



ESISAN

EC15x36B ◀◀

TEKNİK ÖZELLİKLER

TECHNICAL SPECIFICATIONS

EBATLAR (ExBxY) (mm)	360x900x600	DIMENSIONS (WxLxH) (mm)	360x900x600
AĞIRLIK (kg)	64	WEIGHT (kg)	64
TABLA ÖLÇÜLERİ (cm)	36x60	PLATE DIMENSIONS (cm)	36x60
TABLA KALINLIĞI (mm)	8	PLATE THICKNESS (mm)	8
TABLA TİPİ	HARDOX SAC	PLATE TYPE	HARDOX SHEET METAL
SU DEPOSU (l)	-	WATER TANK (L)	-
YÜRÜME HIZI (m/dk)	25	SPEED (m/min)	25
SANTRİFÜJ KUVVETİ (kN)	15	CENTRIFUGAL FORCE (kN)	15
MOTOR	Benzinli- 6,5 HP	ENGINE	Gasoline - 6.5 HP
YAKIT DEPOSU (l)	3,6	FUEL TANK (L)	3.6
YAKIT SARFIYATI (l/saat)	1,7	FUEL CONSUMPTION (L/hour)	1.7



EC18x45B ◀◀

TEKNİK ÖZELLİKLER

TECHNICAL SPECIFICATIONS

EBATLAR (ExBxY) (mm)	450x800x600	DIMENSIONS (WxLxH) (mm)	450x800x600
AĞIRLIK (kg)	91	WEIGHT (kg)	91
TABLA ÖLÇÜLERİ (cm)	45x60	PLATE DIMENSIONS (cm)	45x60
TABLA KALINLIĞI (mm)	10	PLATE THICKNESS (mm)	10
TABLA TİPİ	HARDOX SAC	PLATE TYPE	HARDOX SHEET METAL
SU DEPOSU (l)	12	WATER TANK (L)	12
YÜRÜME HIZI (m/dk)	25	SPEED (m/min)	25
SANTRİFÜJ KUVVETİ (kN)	18	CENTRIFUGAL FORCE (kN)	18
MOTOR	Benzinli- 6,5 HP	ENGINE	Gasoline - 6.5 HP
YAKIT DEPOSU (l)	3,6	FUEL TANK (L)	3.6
YAKIT SARFIYATI (l/saat)	1,7	FUEL CONSUMPTION (L/hour)	1.7



EC28x50B

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	500x800x600	DIMENSIONS (WxLxH) (mm)	500x800x600
AĞIRLIK (kg)	102	WEIGHT (kg)	102
TABLA ÖLÇÜLERİ (cm)	50x60	PLATE DIMENSIONS (cm)	50x60
TABLA KALINLIĞI (mm)	18	PLATE THICKNESS (mm)	18
TABLA TİPİ	SFERO DÖKÜM	PLATE TYPE	NODULAR CAST IRON
SU DEPOSU (l)	12	WATER TANK (L)	12
YÜRÜME HIZI (m/dk)	25	SPEED (m/min)	25
SANTRİFÜJ KUVVETİ (kN)	26	CENTRIFUGAL FORCE (kN)	26
MOTOR	Benzinli - 6,5 HP	ENGINE	Gasoline - 6.5 HP
YAKIT DEPOSU (l)	3,6	FUEL TANK (L)	3.6
YAKIT SARFIYATI (l/saat)	1,7	FUEL CONSUMPTION (L/hour)	1.7

TECHNICAL SPECIFICATIONS



EC38x60B

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	600x850x750	DIMENSIONS (WxLxH) (mm)	600x850x750
AĞIRLIK (kg)	151	WEIGHT (kg)	151
TABLA ÖLÇÜLERİ (cm)	60x74	PLATE DIMENSIONS (cm)	60x74
TABLA KALINLIĞI (mm)	18	PLATE THICKNESS (mm)	18
TABLA TİPİ	SFERO DÖKÜM	PLATE TYPE	NODULAR CAST IRON
SU DEPOSU (l)	-	WATER TANK (L)	-
YÜRÜME HIZI (m/dk)	25	SPEED (m/min)	25
SANTRİFÜJ KUVVETİ (kN)	38	CENTRIFUGAL FORCE (kN)	38
MOTOR	Benzinli - 9 HP	ENGINE	Gasoline - 9 HP
YAKIT DEPOSU (l)	6	FUEL TANK (L)	6
YAKIT SARFIYATI (l/saat)	2,4	FUEL CONSUMPTION (L/hour)	2.4

TECHNICAL SPECIFICATIONS



EC38x60D

TEKNİK ÖZELLİKLER

EBATLAR (ExBxY) (mm)	600X850X750	DIMENSIONS (WxLxH) (mm)	600X850X750
AĞIRLIK (kg)	160	WEIGHT (kg)	160
TABLA ÖLÇÜLERİ (cm)	60x74	PLATE DIMENSIONS (cm)	60x74
TABLA KALINLIĞI (mm)	18	PLATE THICKNESS (mm)	18
TABLA TİPİ	SFERO DÖKÜM	PLATE TYPE	NODULAR CAST IRON
SU DEPOSU (l)	-	WATER TANK (L)	-
YÜRÜME HIZI (m/dk)	25	SPEED (m/min)	25
SANTRİFÜJ KUVVETİ (kN)	38	CENTRIFUGAL FORCE (kN)	38
MOTOR	Dizel - 7 HP	ENGINE	Diesel - 7 HP
YAKIT DEPOSU (l)	4,3	FUEL TANK (L)	4.3
YAKIT SARFIYATI (l/saat)	1,7	FUEL CONSUMPTION (L/hour)	1.7

TECHNICAL SPECIFICATIONS



DERZ KESME MAKİNELERİ GROOVING MACHINES



EG13B

TEKNİK ÖZELLİKLER

TECHNICAL SPECIFICATIONS

EBATLAR (ExBxY) (mm)	620x920x1030	DIMENSIONS (WxLxH) (mm)	620x920x1030
AĞIRLIK (kg)	104	WEIGHT (kg)	104
BIÇAK ÇAPI (mm)	300-450	BLADE DIAMETER (mm)	300-450
KESME DERİNLİĞİ (mm)	150	CUTTING DEPTH (mm)	150
İLERLEME	Manuel	FORWARD MOVEMENT	Manual
BIÇAK DALMA SİSTEMİ	Mekanik	BLADE IMMERSION SYSTEM	Mechanical
SU DEPOSU (l)	40	WATER TANK (L)	40
MOTOR	Benzinli - 13HP	ENGINE	Gasoline - 13 HP
YAKIT DEPOSU (l)	6,5	FUEL TANK (L)	6.5
YAKIT SARFIYATI (l/saat)	3,5	FUEL CONSUMPTION (L/hour)	3.5



SERTİFİKA VE BELGELER CERTIFICATES AND DOCUMENTS





ESİSAN 

Esisan Makine Soğutma Mühendislik Ltd. Şti.
+90 (232) 433 9969 - info@esisan.com.tr