


Working & Growing Together



SPECIALIST IN

Bag-on-Roll Solutions

Rulo Çözümleri

Corporate Catalogue

DMS CONVERTING is a leading manufacturer of Bag-on-Roll Solutions with more than 15 years experiences.

Our main products:

Perforated Machine, Stretch Rewinder Machine, Bag Unfolding Machine, Bag Folding Machine, Pre-Open Bag Making Machine, T-shirt Bag-on-Roll Bag Making Machine, Roll to Roll rewinder machines with coreless solution.

Türkiye

Discover
the potential


DMS CONVERTING

www.dmsconverting.com

EN This machine provides solution from roll to roll. Product output can be used as roll heavy duty bags. For example it can be used by mattress with high efficiency. Cold Slitting feature is given as optional. Thanks to pre-heating and keep warming functions sealing quality is guaranteed in the first and end of bag.

TR Rulo ağır hizmet torba çıktısı üreten rulodan ruloya çözüm sunan bir makinadır. Örneğin yatak üreticileri verimlilik ile kullanabilir. Soğuk bıçak opsiyon olarak sunulmaktadır. Ön ısıtma ve sıcak tutma algoritmaları sayesinde kaynak kalitesi ilk ve son torbada aynı kalite de sunulmaktadır.


15
Pcs/Min



**Impulse
Heating**





**Durable
Engineering
Design**



More Information



Application



Specification

Bag Width	200 - 2000 mm	Power Required	6 KW
Bag Length	200 - 99999 mm	Air Compressor	6 - 8 HP (not included)
Bag Thickness	40 - 250 micron	Weight	1500KG
Production Speed	15 pcs/min	Dimension (L x W x H)	2400 x 2400 x 1500 mm

EN Fully Automatic Pre-Open Bag Making Machine provides multi solutions. One is only perforated bags and the other is pre-open perforated bags that is used commonly for Auto Pack packaging machines that fill solid parts.

TR Tam otomatik ön ağız açmalı perfore makinası farklı çözümler sunmaktadır. Bunlardan birtanesi perforeli rulo torba ve diğeri ise tek ağız otomatik açılmış perforeli rulo torbadır. Bu tip torbalar oto poşet paketleme makinalarında kullanılmaktadır.

40
Pcs/Min



Pre-Open
Perforated




Continuous
Heating



More Information



Application



Specification

Bag Width	200 - 500 mm	Power Required	5 KW
Bag Length	100 - 1000 mm	Air Compressor	6 HP (not included)
Bag Thickness	20 - 200 micron	Weight	900KG
Production Speed	40 pcs/min	Dimension (L x W x H)	2400 x 1400 x 1200 mm

EN Proudly presents that the first Tshirt type Bag-on-Roll Machine was designed and commercialized in Türkiye by DMS Converting. We are looking a partner company for next speed up project with Win-Win.

TR Türkiyede yerli olarak ilk ticarileşen Atlet Rulo Poşet Makinasını üretmenin gururunu yaşıyoruz. Rulo atlet makinasında hızlandırma projeleri için kazan kazan çalışabileceğimiz stratejik partner bir firma arıyoruz.



**Automatic
Coil Change**




**Punch
Knife**



**Win- Win
Project**

120
Pcs/Min

**Upto 400pcs
in case double line and Die Cut**



More Information



EN



TR



Application



Specification

Bag Width	200 - 330 mm	Power Required	13 KW
Bag Lenght	200-700 mm	Air Compressor	6 HP (not included)
Bag Thickness	10 - 40 micron	Weight	1800KG
Production Speed	120 pcs/min	Dimension (L x W x H)	6500 x 900 x 2100 mm

EN It is a Bag-on-Roll machine that open (unfolding) bag from double to single layer. If you need over size single layer bag and width of your extruder machine is not enough, no need make too much investmest for new extruder. This machine convert your bag x2 size.

TR Boru şeklinde olan naylonu açarak tek kat rulo sarım yapan makinadır. Tek kat geniş mallarda yüksek bütçe gerektiren yeni bir bodinoz makinası yatırımının önüne geçer. Sırt ve kenar problemleri minimize edilmiştir.



Almost
Zero Scar



PRECIOUS
TENSION
CONTROL



75
Mt / Min

We changed the design. Please kindly contact with us for updated image and video.

More Information


EN



TR



Application



Specification

Bag Width (Unwinder Side)	40 - 1400 mm	Power Required	5 KW
Bag Width (Winder Side)	80 - 2800 mm	Air Compressor	6 HP (not included)
Bag Thickness	20 - 150 micron	Weight	1800KG
Production Speed	75 mt/min	Dimension (L x W x H)	3600 x 4000 x 3000 mm

EN This machine is used for rewinder stretch film from Jumbo Roll to Small Rolls that can be used for goods packaging. Core change is fully automatic with static loader. Both Hand and Machine Types can be made.

TR Jumbo bobinden masura üzerine ebatlama yapan makinadır. Masura değişimi tamamen otomatiktir. Hem el tipi hem de makine tipi bobin sarımı yapılabilir.

1200

Mt / Min



PE, PVC
8..30 micron
25..76 Core ID



Dual
Motor
&
Slitter
Options



Pre-Stretch
is under
Development



More Information

EN



TR



Application



Specification

Roll Diameter	450 mm (max)	Power Required	4 or 6.5 KW
Bag Width	300 - 500 mm	Air Compressor	6 HP (not included)
Bag Thickness	8 - 30 micron	Weight	800KG
Production Speed	1200 mt/min	Dimension (L x W x H)	1800 x 1600 x 2000 mm

EN It is a coreless rewinder machine. It can be used for bags, nonwoven, paper, gauze bandage etc. We give two solution. One is non-stop with rotary knife, the other is pneumatic scissors system. All systems works with servo motors due to precious tension control.

TR Masurasız çatal sistemli sarım makinasıdır. Esnek plastik ambalaj, nonwoven, kağıt, sargı bezi, bandaj gibi materyaller için kullanılabilir. Çözümlerden biri döner bıçaklı tambur sistemli non stop, diğeri ise pnömatik makas sistemlidir.

120
Mt / Min



Scissors
Cutting

200
Mt / Min



Non-Stop
Rotary
Cutting



More Information

EN



TR



Application



More Information

EN



TR



Specification

Roll Diameter	500 mm (max)	Power Required	3 KW
Bag Width	40 - 200 mm	Air Compressor	6 HP
Bag Thickness	10 - 200 micron	Weight	500 & 850 KG
Production Speed	120 & 200 mt/min	Dimension (L x W x H)	



Contact Us



DMS Endüstri Ambalaj Makine Sanayi ve Limited Şirketi
Address: İzzet Baysal Sanayi Sitesi, K Blok No:4 Merkez/Bolu/Türkiye
Mail: info@dmsconverting.com
Web: www.dmsconverting.com
Tel: +903742439898 Whatsapp: +905331480034



www.dmsconverting.com